

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062618\
 Data File : VW003573.D
 Acq On : 26 Jun 2018 15:09
 Operator : SY/AP
 Sample : J3641-05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Jun 27 01:47:14 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 27 01:37:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	256431	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	243495	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	111762	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	74850	21.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.08%
7) Chloroethane-d5	2.89	69	62953	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.80%
10) 1,1-Dichloroethene-d2	4.01	63	118691	17.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.76%
20) 2-Butanone-d5	7.09	46	86581	79.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	158.02%#
24) Chloroform-d	7.65	84	162532	24.09	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.36%
26) 1,2-Dichloroethane-d4	8.31	65	103364	25.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	103.16%
29) Benzene-d6	8.28	84	298941	23.14	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.56%
33) 1,2-Dichloropropane-d6	9.28	67	98623	24.12	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.48%
37) Toluene-d8	10.33	98	272836	22.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.36%
38) trans-1,3-Dichloropropene-	10.58	79	41580	21.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.64%
39) 2-Hexanone-d5	10.93	63	59428	71.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	142.18%#
48) 1,1,2,2-Tetrachloroethane-	12.70	84	108158	28.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	113.72%
61) 1,2-Dichlorobenzene-d4	13.87	152	106896	25.32	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.28%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	18270	5.17 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062618\
Data File : VW003573.D
Acq On : 26 Jun 2018 15:09
Operator : SY/AP
Sample : J3641-05
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Jun 27 01:47:14 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 27 01:37:29 2018
Response via : Initial Calibration

