

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW062818\
 Data File : VW003630.D
 Acq On : 28 Jun 2018 11:13
 Operator : SY/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 07:03:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W061318S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 16 05:18:54 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.151	0.158	-4.6	97	0.00
3 P	Chloromethane	0.382	0.364	4.7	88	0.00
4 C	Vinyl Chloride	0.557	0.520	6.6#	88	0.00
5 T	Bromomethane	0.370	0.315	14.9	80	0.00
6 T	Chloroethane	0.388	0.336	13.4	84	0.00
7 T	Trichlorofluoromethane	0.334	0.338	-1.2	94	0.00
8 T	Diethyl Ether	0.245	0.228	6.9	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.463	0.468	-1.1	95	0.00
10 T	Methyl Iodide	0.700	0.690	1.4	91	0.00
11 T	Tert butyl alcohol	0.029	0.028	3.4	80	0.00
12 CM	1,1-Dichloroethene	0.453	0.450	0.7#	95	0.00
13 T	Acrolein	0.042	0.038	9.5	84	0.00
14 T	Allyl chloride	0.784	0.799	-1.9	94	0.00
15 T	Acrylonitrile	0.101	0.102	-1.0	90	0.00
16 T	Acetone	0.114	0.121	-6.1	97	0.00
17 T	Carbon Disulfide	1.338	1.277	4.6	91	0.00
18 T	Methyl Acetate	0.269	0.282	-4.8	96	0.00
19 T	Methyl tert-butyl Ether	0.848	0.862	-1.7	91	0.00
20 T	Methylene Chloride	0.562	0.489	13.0	90	0.00
21 T	trans-1,2-Dichloroethene	0.493	0.493	0.0	94	0.00
22 T	Diisopropyl ether	1.578	1.659	-5.1	94	0.00
23 T	Vinyl Acetate	0.909	0.927	-2.0	89	0.00
24 P	1,1-Dichloroethane	0.937	0.962	-2.7	95	0.00
25 T	2-Butanone	0.141	0.148	-5.0	91	0.00
26 T	2,2-Dichloropropane	0.625	0.627	-0.3	94	0.00
27 T	cis-1,2-Dichloroethene	0.541	0.553	-2.2	93	0.00
28 T	Bromochloromethane	0.390	0.430	-10.3	93	0.00
29 T	Tetrahydrofuran	0.086	0.086	0.0	88	0.00
30 C	Chloroform	0.954	0.992	-4.0#	95	0.00
31 T	Cyclohexane	0.875	0.838	4.2	96	0.00
32 T	1,1,1-Trichloroethane	0.788	0.804	-2.0	94	0.00
33 S	1,2-Dichloroethane-d4	0.542	0.552	-1.8	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.311	0.331	-6.4	95	0.00
36 T	1,1-Dichloropropene	0.483	0.507	-5.0	95	0.00
37 T	Ethyl Acetate	0.200	0.195	2.5	87	0.00
38 T	Carbon Tetrachloride	0.474	0.496	-4.6	94	0.00
39 T	Methylcyclohexane	0.559	0.584	-4.5	94	0.00
40 TM	Benzene	1.331	1.407	-5.7	96	0.00
41 T	Methacrylonitrile	0.123	0.126	-2.4	90	0.00
42 TM	1,2-Dichloroethane	0.417	0.424	-1.7	91	0.00
43 T	Isopropyl Acetate	0.397	0.391	1.5	86	0.00
44 TM	Trichloroethene	0.353	0.363	-2.8	92	0.00
45 C	1,2-Dichloropropane	0.339	0.363	-7.1#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW062818\
 Data File : VW003630.D
 Acq On : 28 Jun 2018 11:13
 Operator : SY/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 07:03:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W061318S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 16 05:18:54 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.174	0.178	-2.3	92	0.00
47 T	Bromodichloromethane	0.445	0.470	-5.6	95	0.00
48 T	Methyl methacrylate	0.187	0.196	-4.8	89	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	86	0.00
50 S	Toluene-d8	1.232	1.328	-7.8	94	0.00
51 T	4-Methyl-2-Pentanone	0.202	0.206	-2.0	87	0.00
52 CM	Toluene	0.854	0.899	-5.3#	94	0.00
53 T	t-1,3-Dichloropropene	0.454	0.477	-5.1	91	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.548	-6.0	93	0.00
55 T	1,1,2-Trichloroethane	0.244	0.251	-2.9	92	0.00
56 T	Ethyl methacrylate	0.297	0.311	-4.7	87	0.00
57 T	1,3-Dichloropropane	0.422	0.437	-3.6	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.133	0.141	-6.0	91	0.00
59 T	2-Hexanone	0.141	0.154	-9.2	91	0.00
60 T	Dibromochloromethane	0.291	0.305	-4.8	92	0.00
61 T	1,2-Dibromoethane	0.231	0.237	-2.6	90	0.00
62 S	4-Bromofluorobenzene	0.436	0.484	-11.0	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.334	0.336	-0.6	92	0.00
65 PM	Chlorobenzene	1.041	1.063	-2.1	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.366	0.379	-3.6	93	0.00
67 C	Ethyl Benzene	1.846	1.946	-5.4#	94	0.00
68 T	m/p-Xylenes	0.702	0.740	-5.4	94	0.00
69 T	o-Xylene	0.650	0.690	-6.2	93	0.00
70 T	Styrene	1.082	1.164	-7.6	94	0.00
71 P	Bromoform	0.190	0.193	-1.6	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
73 T	Isopropylbenzene	3.478	3.692	-6.2	93	0.00
74 T	N-amyl acetate	0.792	0.782	1.3	85	0.00
75 P	1,1,2,2-Tetrachloroethane	0.588	0.604	-2.7	92	0.00
76 T	1,2,3-Trichloropropane	0.427	0.426	0.2	90	0.00
77 T	Bromobenzene	0.810	0.814	-0.5	89	0.00
78 T	n-propylbenzene	4.258	4.599	-8.0	95	0.00
79 T	2-Chlorotoluene	2.407	2.541	-5.6	93	0.00
80 T	1,3,5-Trimethylbenzene	2.919	3.129	-7.2	94	0.00
81 T	trans-1,4-Dichloro-2-butene	0.186	0.196	-5.4	91	0.00
82 T	4-Chlorotoluene	2.553	2.686	-5.2	94	0.00
83 T	tert-Butylbenzene	2.488	2.737	-10.0	96	0.00
84 T	1,2,4-Trimethylbenzene	3.003	3.214	-7.0	94	0.00
85 T	sec-Butylbenzene	3.698	3.970	-7.4	94	0.00
86 T	p-Isopropyltoluene	3.261	3.488	-7.0	93	0.00
87 T	1,3-Dichlorobenzene	1.664	1.713	-2.9	92	0.00
88 T	1,4-Dichlorobenzene	1.654	1.686	-1.9	92	0.00
89 T	n-Butylbenzene	3.179	3.432	-8.0	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW062818\
Data File : VW003630.D
Acq On : 28 Jun 2018 11:13
Operator : SY/AP
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jun 29 07:03:28 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W061318S.M
Quant Title : SW846 8260
QLast Update : Sat Jun 16 05:18:54 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.590	0.622	-5.4	93	0.00
91 T	1,2-Dichlorobenzene	1.457	1.505	-3.3	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.099	0.098	1.0	86	0.00
93 T	1,2,4-Trichlorobenzene	1.023	1.063	-3.9	92	0.00
94 T	Hexachlorobutadiene	0.615	0.628	-2.1	90	0.00
95 T	Naphthalene	1.736	1.789	-3.1	87	0.00
96 T	1,2,3-Trichlorobenzene	0.901	0.921	-2.2	91	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6