

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062819\
 Data File : VW011044.D
 Acq On : 28 Jun 2019 04:36
 Operator : SY/VA
 Sample : K3159-09
 Misc : 5.93G/5ML/MSVOA W/SOIL
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 OR-03-062619-A

Quant Time: Jun 28 09:06:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W062819S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 28 01:55:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.94	168	208018	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	347790	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	321549	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	127040	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	142302	52.33	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.66%	
35) Dibromofluoromethane	7.88	113	109175	51.41	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.82%	
50) Toluene-d8	10.32	98	454488	51.99	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.98%	
62) 4-Bromofluorobenzene	12.62	95	156300	48.88	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.76%	
Target Compounds						
16) Acetone	4.12	43	8427	12.696	ug/l	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062819\
Data File : VW011044.D
Acq On : 28 Jun 2019 04:36
Operator : SY/VA
Sample : K3159-09
Misc : 5.93G/5ML/MSVOA W/SOIL
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
OR-03-062619-A

Quant Time: Jun 28 09:06:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W062819S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 28 01:55:46 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.94 min Scan# 990

Delta R.T. -0.01 min

Lab File: VW011044.D

Acq: 28 Jun 2019 04:36

Instrument :

MSVOA_W

ClientSampleId :


OR-03-062619-A

Tot Ion:168 Resp: 208018

Ion Ratio Lower Upper

168 100

99 60.1 47.8 71.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.94

100000

80000

60000



40000

20000

0

7.90 8.00

Time-->



#16

Acetone

Concen: 12.696 ug/l

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW011044.D


Acq: 28 Jun 2019 04:36

Tgt Ion: 43 Resp: 8427

Ion Ratio Lower Upper

43 100

58 29.2 22.5 33.7



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.12

3000

2500

2000

1500


1000


500

0

4.00 4.05 4.10 4.15 4.20

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 52.329 ug/l
 RT: 8.30 min Scan# 1049
 Delta R.T. -0.01 min
 Lab File: VW011044.D
 Acq: 28 Jun 2019 04:36




Instrument :
 MSVOA_W
 ClientSampleId :
 OR-03-062619-A


Tot Ion: 65 Resp: 142302
 Ion Ratio Lower Upper
 65 100
 67 51.0 0.0 102.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1137
 Delta R.T. -0.01 min
 Lab File: VW011044.D
 Acq: 28 Jun 2019 04:36

Tgt Ion: 114 Resp: 347790
 Ion Ratio Lower Upper
 114 100
 63 25.0 0.0 50.6
 88 17.2 0.0 34.0





#35

Dibromofluoromethane

Concen: 51.407 ug/l

RT: 7.88 min Scan# 980

Delta R.T. -0.00 min

Lab File: VW011044.D

Acq: 28 Jun 2019 04:36

Instrument :

MSVOA_W

ClientSampleId :

OR-03-062619-A


Tot Ion:113 Resp: 109175

Ion Ratio Lower Upper

113 100

111 103.0 83.8 125.6




192 19.5 16.0 24.0



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 51.990 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW011044.D


Acq: 28 Jun 2019 04:36

Tgt Ion: 98 Resp: 454488

Ion Ratio Lower Upper



98 100


100 65.1 52.3 78.5



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 48.884 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. -0.00 min
Lab File: VW011044.D
Acq: 28 Jun 2019 04:36




Instrument :
MSVOA_W
ClientSampleId :
OR-03-062619-A


Tot Ion: 95 Resp: 156300
Ion Ratio Lower Upper
95 100
174 74.0 0.0 149.2
176 71.7 0.0 143.6



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1595
Delta R.T. -0.01 min
Lab File: VW011044.D
Acq: 28 Jun 2019 04:36

Tgt Ion: 117 Resp: 321549
Ion Ratio Lower Upper
117 100
82 62.5 48.6 73.0
119 31.6 26.1 39.1





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. -0.00 min

Lab File: VW011044.D

Acq: 28 Jun 2019 04:36

Instrument :

MSVOA_W

ClientSampleId :

OR-03-062619-A


Tot Ion:152 Resp: 127040

Ion Ratio Lower Upper

152 100

115 60.9 30.7 92.1

150 156.4 0.0 341.8



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

