

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\

Method File : SFAMWLM062821SMA.M

Title : SFAM01.0

Last Update : Mon Jun 28 12:55:02 2021

Response Via : Initial Calibration

Calibration Files

2.5 =VW019341.D 5 =VW019342.D 25 =VW019343.D 50 =VW019344.D 100 =VW019345.D

Compound	2.5	5	25	50	100	Avg	%RSD
----------	-----	---	----	----	-----	-----	------

1) I	1,4-Difluorobenzene	-----	ISTD-----				
2) T	Dichlorodifluoro...	0.251	0.267	0.294	0.342	0.335	0.298
3) T	Chloromethane	0.288	0.288	0.279	0.334	0.346	0.307
4) S	Vinyl Chloride-d3	0.332	0.333	0.310	0.339	0.326	0.328
5) T	Vinyl chloride	0.420	0.424	0.417	0.449	0.415	0.425
6) T	Bromomethane	0.232	0.241	0.233	0.248	0.230	0.237
7) S	Chloroethane-d5	0.242	0.254	0.248	0.271	0.261	0.255
8) T	Chloroethane	0.216	0.234	0.230	0.250	0.236	0.233
9) T	Trichlorofluorom...	0.203	0.208	0.228	0.266	0.267	0.234
10) T	1,1,2-Trichloro....	0.306	0.337	0.328	0.355	0.332	0.332
11) S	1,1-Dichloroethe...	0.650	0.672	0.650	0.700	0.681	0.671
12) T	1,1-Dichloroethene	0.314	0.327	0.329	0.361	0.342	0.335
13) T	Acetone	0.053	0.058	0.047	0.050	0.046	0.051
14) T	Carbon disulfide	0.986	1.009	1.064	1.151	1.081	1.058
15) T	Methyl Acetate	0.123	0.142	0.139	0.145	0.148	0.140
16) T	Methylene chloride	0.605	0.500	0.368	0.367	0.344	0.437
17) T	trans-1,2-Dichlo...	0.338	0.357	0.361	0.390	0.367	0.363
18) T	Methyl tert-butyl...	0.398	0.431	0.436	0.470	0.464	0.440
19) T	1,1-Dichloroethane	0.622	0.634	0.650	0.692	0.661	0.652
20) T	cis-1,2-Dichloro...	0.358	0.367	0.380	0.404	0.395	0.381
21) S	2-Butanone-d5	0.072	0.087	0.080	0.081	0.088	0.082
22) T	2-Butanone	0.076	0.091	0.087	0.089	0.091	0.087
23) T	Bromochloromethane	0.156	0.165	0.164	0.173	0.171	0.166
24) S	Chloroform-d	0.699	0.710	0.655	0.699	0.690	0.691
25) T	Chloroform	0.625	0.647	0.639	0.680	0.642	0.647
26) S	1,2-Dichloroetha...	0.362	0.376	0.335	0.349	0.351	0.355
27) T	1,2-Dichloroethane	0.401	0.412	0.396	0.420	0.405	0.407
28) I	Chlorobenzene-d5	-----	ISTD-----				
29) T	Cyclohexane	0.588	0.629	0.689	0.745	0.681	0.666
30) T	1,1,1-Trichloroe...	0.514	0.524	0.535	0.563	0.520	0.531
31) T	Carbon tetrachlor...	0.476	0.480	0.504	0.540	0.499	0.500
32) S	Benzene-d6	1.521	1.577	1.499	1.577	1.487	1.532
33) T	Benzene	1.555	1.631	1.662	1.727	1.580	1.631
34) T	Trichloroethene	0.401	0.412	0.410	0.438	0.414	0.415
35) T	Methylcyclohexane	0.668	0.711	0.742	0.804	0.735	0.732
36) S	1,2-Dichloroprop...	0.470	0.477	0.447	0.479	0.462	0.467
37) T	1,2-Dichloropropane	0.382	0.399	0.401	0.422	0.392	0.399
38) T	Bromodichloromet...	0.453	0.481	0.494	0.528	0.500	0.491
39) T	cis-1,3-Dichloro...	0.508	0.559	0.612	0.660	0.638	0.595
40) T	4-Methyl-2-penta...	0.177	0.202	0.217	0.225	0.225	0.209
41) S	Toluene-d8	1.371	1.407	1.364	1.438	1.359	1.388
42) T	Toluene	1.569	1.691	1.728	1.818	1.651	1.691
43) S	trans-1,3-Dichlo...	0.169	0.185	0.178	0.190	0.196	0.184
44) T	trans-1,3-Dichlo...	0.436	0.481	0.524	0.558	0.542	0.508
45) T	1,1,2-Trichloroe...	0.271	0.286	0.283	0.294	0.280	0.283
46) T	Tetrachloroethene	0.300	0.326	0.326	0.337	0.315	0.321
47) S	2-Hexanone-d5	0.060	0.073	0.073	0.077	0.081	0.073
48) T	2-Hexanone	0.123	0.141	0.150	0.152	0.151	0.143
49) T	Dibromochloromet...	0.278	0.298	0.317	0.339	0.337	0.314
50) T	1,2-Dibromoethane	0.251	0.264	0.265	0.283	0.276	0.268
51) T	Chlorobenzene	1.020	1.050	1.080	1.114	1.055	1.064
52) T	Ethylbenzene	1.714	1.809	1.895	2.019	1.808	1.849
53) T	m,p-Xylene	0.623	0.691	0.721	0.757	0.708	0.700
54) T	o-Xylene	0.605	0.644	0.680	0.726	0.683	0.668
55) T	Styrene	0.980	1.095	1.172	1.251	1.150	1.129
56) S	1,1,2,2-Tetrachl...	0.343	0.370	0.336	0.338	0.336	0.345

Response Factor Report MSVOA_W

Method Path : Z:\voasrv\HPCHEM1\MSVOA_W\Method\

Method File : SFAMWLM062821SMA.M

57)	T	1,1,2,2-Tetrachloroethane	0.321 0.342 0.334 0.343 0.329 0.334	2.83
58)	I	1,4-Dichlorobenzene	-----ISTD-----	
59)	T	Bromoform	0.296 0.318 0.339 0.371 0.385 0.342	10.74
60)		Isopropylbenzene	3.255 3.408 3.578 3.946 3.636 3.565	7.30
61)		1,2,3-Trichloropropane	0.493 0.491 0.487 0.511 0.504 0.497	2.01
62)		1,3,5-Trimethylbenzene	2.546 2.791 3.031 3.365 3.119 2.971	10.56
63)		1,2,4-Trimethylbenzene	2.548 2.783 3.016 3.354 3.070 2.954	10.31
64)	T	1,3-Dichlorobenzene	1.502 1.567 1.571 1.721 1.581 1.588	5.06
65)	T	1,4-Dichlorobenzene	1.581 1.557 1.565 1.678 1.510 1.578	3.90
66)	S	1,2-Dichlorobenzene	0.951 0.936 0.871 0.933 0.882 0.915	3.92
67)	T	1,2-Dichlorobenzene	1.371 1.340 1.397 1.531 1.383 1.404	5.25
68)	T	1,2-Dibromo-3-chloropropane	0.098 0.107 0.102 0.108 0.110 0.105	4.91
69)		1,3,5-Trichlorobutane	1.122 1.121 1.099 1.278 1.130 1.150	6.30
70)	T	1,2,4-trichlorobutane	0.904 0.913 0.945 1.027 0.946 0.947	5.11
71)		Naphthalene	1.501 1.644 1.844 2.072 1.956 1.803	12.82
72)	T	1,2,3-Trichlorobutane	0.778 0.769 0.802 0.901 0.846 0.819	6.66

(#) = Out of Range