

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062823\
 Data File : VW026394.D
 Acq On : 28 Jun 2023 13:32
 Operator : SY/MD
 Sample : 03420-11
 Misc : 5.25g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46E5

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/29/2023
 Supervised By :Mahesh Dadoda 06/29/2023

Quant Time: Jun 28 23:50:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 28 23:48:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	844738	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	607094	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	206619	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	223446	18.208	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.840%
7) Chloroethane-d5	2.899	69	256357m	29.385	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	117.560%
11) 1,1-Dichloroethene-d2	4.021	65	120295	21.651	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	86.600%
21) 2-Butanone-d5	7.075	46	160131	41.518	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.040%
24) Chloroform-d	7.648	84	502841	21.007	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.040%
26) 1,2-Dichloroethane-d4	8.307	65	327645	24.360	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.440%
32) Benzene-d6	8.276	84	1003915	26.716	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	106.880%
36) 1,2-Dichloropropane-d6	9.276	67	321559	26.334	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.320%
41) Toluene-d8	10.319	98	797671	24.251	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.000%
43) trans-1,3-Dichloroprop...	10.575	79	108852	22.203	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.800%
47) 2-Hexanone-d5	10.922	63	102049	54.418	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.840%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	267227	27.797	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	111.200%
66) 1,2-Dichlorobenzene-d4	13.855	152	162042	22.524	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.080%
Target Compounds					Qvalue	
13) Acetone	4.125	43	52519	17.012	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062823\
Data File : VW026394.D
Acq On : 28 Jun 2023 13:32
Operator : SY/MD
Sample : 03420-11
Misc : 5.25g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
A46E5

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 06/29/2023
Supervised By : Mahesh Dadoda 06/29/2023


Quant Time: Jun 28 23:50:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 28 23:48:01 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 17.012 ug/L
 RT: 4.125 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: VW026394.D
 Acq: 28 Jun 2023 13:32

Instrument :
 MSVOA_W
 ClientSampleId :
 A46E5



Tgt Ion: 43 Resp: 52519
 Ion Ratio Lower Upper
 43 100
 58 28.0 0.0 55.8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/29/2023
 Supervised By :Mahesh Dadoda 06/29/2023

