

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062920\
 Data File : VW015763.D
 Acq On : 29 Jun 2020 15:22
 Operator : SY/VA
 Sample : L3131-04
 Misc : 4.60G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG2L9

Quant Time: Jun 30 03:40:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062920S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 30 03:03:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	323536	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	273108	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	94516	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	110987	21.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.52%
7) Chloroethane-d5	2.90	69	90461	21.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.36%
10) 1,1-Dichloroethene-d2	4.02	63	153273	16.43	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.72%
20) 2-Butanone-d5	7.09	46	46584	42.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.06%
24) Chloroform-d	7.65	84	193516	21.46	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.84%
26) 1,2-Dichloroethane-d4	8.31	65	113041	22.04	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.16%
29) Benzene-d6	8.28	84	381726	23.44	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.76%
33) 1,2-Dichloropropane-d6	9.27	67	113210	23.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.92%
37) Toluene-d8	10.32	98	340501	22.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.88%
38) trans-1,3-Dichloropropene-	10.58	79	43459	20.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.40%
39) 2-Hexanone-d5	10.93	63	33795	43.02	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.04%
48) 1,1,1,2,2-Tetrachloroethane-	12.69	84	75917	20.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	78072	21.30	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.20%

Target Compounds					Ovalue
14) Carbon disulfide	4.38	76	9044	0.774 ug/L	98
16) Methylene chloride	4.93	84	11116	2.342 ug/L	92
53) Ethylbenzene	11.73	91	7549	0.410 ug/L	99
54) m,p-Xylene	11.84	106	11255	1.634 ug/L	99
55) o-xylene	12.16	106	3734	0.567 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062920\
Data File : VW015763.D
Acq On : 29 Jun 2020 15:22
Operator : SY/VA
Sample : L3131-04
Misc : 4.60G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG2L9

Quant Time: Jun 30 03:40:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062920S.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 30 03:03:23 2020
Response via : Initial Calibration

