

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070119\
 Data File : VW011093.D
 Acq On : 01 Jul 2019 18:55
 Operator : SY/VA
 Sample : K3628-03
 Misc : 5.10G/5ML/MSVOA W/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-226-VNJ-238

Quant Time: Jul 02 09:22:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W062819S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 28 01:55:46 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	195003	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	336781	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	281985	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	118817	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	129476	50.79	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.58%	
35) Dibromofluoromethane	7.88	113	99802	48.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.06%	
50) Toluene-d8	10.32	98	417655	49.34	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.68%	
62) 4-Bromofluorobenzene	12.62	95	138382	44.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	89.38%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070119\
Data File : VW011093.D
Acq On : 01 Jul 2019 18:55
Operator : SY/VA
Sample : K3628-03
Misc : 5.10G/5ML/MSVOA W/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VNJ-226-VNJ-238

Quant Time: Jul 02 09:22:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W062819S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 28 01:55:46 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW011093.D

Acq: 01 Jul 2019 18:55

Instrument :

MSVOA_W

ClientSampleId :


VNJ-226-VNJ-238

Tot Ion:168 Resp: 195003

Ion Ratio Lower Upper




168 100

99 61.6 47.8 71.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 50.791 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. 0.00 min

Lab File: VW011093.D


Acq: 01 Jul 2019 18:55

Tgt Ion: 65 Resp: 129476

Ion Ratio Lower Upper



65 100


67 51.8 0.0 102.4



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW011093.D
 Acq: 01 Jul 2019 18:55

Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-226-VNJ-238

Tot Ion:114 Resp: 336781
 Ion Ratio Lower Upper
 114 100
 63 25.1 0.0 50.6
 88 17.0 0.0 34.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VW
 Ion 87.90 (87.60 to 88.60): VW






#35
 Dibromofluoromethane
 Concen: 48.530 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.01 min
 Lab File: VW011093.D
 Acq: 01 Jul 2019 18:55

Tgt Ion:113 Resp: 99802
 Ion Ratio Lower Upper
 113 100
 111 103.9 83.8 125.6
 192 20.2 16.0 24.0



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 49.338 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. 0.00 min
Lab File: VW011093.D
Acq: 01 Jul 2019 18:55




Instrument :
MSVOA_W
ClientSampleId :
VNJ-226-VNJ-238


Tot Ion: 98 Resp: 417655
Ion Ratio Lower Upper
98 100
100 65.6 52.3 78.5



#62
4-Bromofluorobenzene
Concen: 44.695 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. 0.00 min
Lab File: VW011093.D
Acq: 01 Jul 2019 18:55

Tgt Ion: 95 Resp: 138382
Ion Ratio Lower Upper
95 100
174 72.9 0.0 149.2
176 71.3 0.0 143.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW011093.D
Acq: 01 Jul 2019 18:55

Instrument :
MSVOA_W
ClientSampleId :
VNJ-226-VNJ-238

Tot Ion:117 Resp: 281985
Ion Ratio Lower Upper
117 100
82 60.4 48.6 73.0
119 32.4 26.1 39.1



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. 0.00 min
Lab File: VW011093.D
Acq: 01 Jul 2019 18:55

Tgt Ion:152 Resp: 118817
Ion Ratio Lower Upper
152 100
115 60.3 30.7 92.1
150 158.3 0.0 341.8

