

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070620\
 Data File : VW015783.D
 Acq On : 06 Jul 2020 12:45
 Operator : SY/VA
 Sample : VW0706SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK13

Quant Time: Jul 07 00:33:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062920S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 07 00:28:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	305491	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	281288	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	124388	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	91999	18.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.20%
7) Chloroethane-d5	2.90	69	79771	19.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.76%
10) 1,1-Dichloroethene-d2	4.01	63	134735	15.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.20%
20) 2-Butanone-d5	7.09	46	51909	49.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.20%
24) Chloroform-d	7.65	84	182536	21.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	8.31	65	109057	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.08%
29) Benzene-d6	8.28	84	353545	21.08	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.32%
33) 1,2-Dichloropropane-d6	9.28	67	107200	21.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.36%
37) Toluene-d8	10.33	98	319916	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.00%
38) trans-1,3-Dichloropropene-	10.58	79	44862	20.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.60%
39) 2-Hexanone-d5	10.93	63	38118	47.11	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.22%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	86864	22.81	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.24%
61) 1,2-Dichlorobenzene-d4	13.86	152	108812	22.56	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.24%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	7698	1.717 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070620\
Data File : VW015783.D
Acq On : 06 Jul 2020 12:45
Operator : SY/VA
Sample : VW0706SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
VBLK13

Quant Time: Jul 07 00:33:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062920S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 07 00:28:21 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 1.717 ug/L
 RT: 4.91 min Scan# 493
 Delta R.T. -0.01 min
 Lab File: VW015783.D
 Acq: 06 Jul 2020 12:45

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK13

Tot Ion: 84 Resp: 7698
 Ion Ratio Lower Upper
 84 100
 49 122.5 90.0 167.2
 86 58.7 44.0 81.8

