

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW070820\
 Data File : VW015820.D
 Acq On : 08 Jul 2020 19:51
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 09 05:38:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070720S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 08 08:28:05 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.263	0.262	0.4	91	0.00
3 P	Chloromethane	0.358	0.322	10.1	91	0.00
4 C	Vinyl Chloride	0.552	0.524	5.1#	91	0.00
5 T	Bromomethane	0.422	0.397	5.9	94	0.00
6 T	Chloroethane	0.373	0.368	1.3	94	0.00
7 T	Trichlorofluoromethane	0.397	0.398	-0.3	90	0.00
8 T	Diethyl Ether	0.247	0.260	-5.3	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.465	0.458	1.5	92	0.00
10 T	Methyl Iodide	0.649	0.668	-2.9	94	0.00
11 T	Tert butyl alcohol	0.029	0.035	-20.7	114	-0.02
12 CM	1,1-Dichloroethene	0.457	0.452	1.1#	92	0.00
13 T	Acrolein	0.036	0.032	11.1	82	0.00
14 T	Allyl chloride	0.742	0.768	-3.5	94	0.00
15 T	Acrylonitrile	0.097	0.114	-17.5	104	0.00
16 T	Acetone	0.096	0.105	-9.4	91	0.00
17 T	Carbon Disulfide	1.359	1.311	3.5	89	0.00
18 T	Methyl Acetate	0.219	0.252	-15.1	106	0.00
19 T	Methyl tert-butyl Ether	0.684	0.775	-13.3	98	0.00
20 T	Methylene Chloride	0.559	0.589	-5.4	106	0.00
21 T	trans-1,2-Dichloroethene	0.529	0.544	-2.8	95	0.00
22 T	Diisopropyl ether	1.496	1.606	-7.4	96	0.00
23 T	Vinyl Acetate	0.890	0.999	-12.2	98	0.00
24 P	1,1-Dichloroethane	0.947	0.978	-3.3	95	0.00
25 T	2-Butanone	0.131	0.152	-16.0	100	0.00
26 T	2,2-Dichloropropane	0.594	0.565	4.9	89	0.00
27 T	cis-1,2-Dichloroethene	0.568	0.593	-4.4	95	0.00
28 T	Bromochloromethane	0.375	0.369	1.6	95	0.00
29 T	Tetrahydrofuran	0.079	0.098	-24.1	107	0.00
30 C	Chloroform	0.968	1.002	-3.5#	96	0.00
31 T	Cyclohexane	0.891	0.844	5.3	93	0.00
32 T	1,1,1-Trichloroethane	0.812	0.811	0.1	92	0.00
33 S	1,2-Dichloroethane-d4	0.515	0.507	1.6	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.292	0.273	6.5	95	0.00
36 T	1,1-Dichloropropene	0.493	0.482	2.2	92	0.00
37 T	Ethyl Acetate	0.192	0.212	-10.4	105	0.00
38 T	Carbon Tetrachloride	0.477	0.455	4.6	91	0.00
39 T	Methylcyclohexane	0.582	0.579	0.5	91	0.00
40 TM	Benzene	1.350	1.349	0.1	95	0.00
41 T	Methacrylonitrile	0.109	0.123	-12.8	105	0.00
42 TM	1,2-Dichloroethane	0.420	0.434	-3.3	97	0.00
43 T	Isopropyl Acetate	0.374	0.423	-13.1	104	0.00
44 TM	Trichloroethene	0.357	0.355	0.6	94	0.00
45 C	1,2-Dichloropropane	0.332	0.338	-1.8#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW070820\
 Data File : VW015820.D
 Acq On : 08 Jul 2020 19:51
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 09 05:38:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070720S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 08 08:28:05 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.171	0.180	-5.3	98	0.00
47 T	Bromodichloromethane	0.442	0.457	-3.4	96	0.00
48 T	Methyl methacrylate	0.171	0.200	-17.0	102	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	118	0.00
50 S	Toluene-d8	1.120	1.072	4.3	95	0.00
51 T	4-Methyl-2-Pentanone	0.182	0.213	-17.0	105	0.00
52 CM	Toluene	0.869	0.902	-3.8#	97	0.00
53 T	t-1,3-Dichloropropene	0.424	0.452	-6.6	95	0.00
54 T	cis-1,3-Dichloropropene	0.507	0.528	-4.1	95	0.00
55 T	1,1,2-Trichloroethane	0.237	0.256	-8.0	100	0.00
56 T	Ethyl methacrylate	0.291	0.346	-18.9	105	0.00
57 T	1,3-Dichloropropane	0.419	0.449	-7.2	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.142	0.158	-11.3	102	0.00
59 T	2-Hexanone	0.122	0.151	-23.8	107	0.00
60 T	Dibromochloromethane	0.274	0.295	-7.7	100	0.00
61 T	1,2-Dibromoethane	0.227	0.243	-7.0	101	0.00
62 S	4-Bromofluorobenzene	0.411	0.415	-1.0	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.316	0.312	1.3	95	0.00
65 PM	Chlorobenzene	0.978	1.007	-3.0	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.346	0.362	-4.6	97	0.00
67 C	Ethyl Benzene	1.811	1.870	-3.3#	97	0.00
68 T	m/p-Xylenes	0.680	0.711	-4.6	97	0.00
69 T	o-Xylene	0.621	0.665	-7.1	98	0.00
70 T	Styrene	1.068	1.147	-7.4	97	0.00
71 P	Bromoform	0.158	0.178	-12.7	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.522	3.638	-3.3	98	0.00
74 T	N-amyl acetate	0.754	0.862	-14.3	106	0.00
75 P	1,1,2,2-Tetrachloroethane	0.585	0.635	-8.5	103	0.00
76 T	1,2,3-Trichloropropane	0.439	0.463	-5.5	103	0.00
77 T	Bromobenzene	0.790	0.799	-1.1	99	0.00
78 T	n-propylbenzene	4.276	4.399	-2.9	98	0.00
79 T	2-Chlorotoluene	2.438	2.487	-2.0	97	0.00
80 T	1,3,5-Trimethylbenzene	3.002	3.075	-2.4	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.172	0.188	-9.3	100	0.00
82 T	4-Chlorotoluene	2.546	2.601	-2.2	98	0.00
83 T	tert-Butylbenzene	2.492	2.592	-4.0	97	0.00
84 T	1,2,4-Trimethylbenzene	2.998	3.121	-4.1	99	0.00
85 T	sec-Butylbenzene	3.600	3.734	-3.7	98	0.00
86 T	p-Isopropyltoluene	3.287	3.396	-3.3	98	0.00
87 T	1,3-Dichlorobenzene	1.583	1.584	-0.1	97	0.00
88 T	1,4-Dichlorobenzene	1.550	1.609	-3.8	101	0.00
89 T	n-Butylbenzene	3.146	3.277	-4.2	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW070820\
Data File : VW015820.D
Acq On : 08 Jul 2020 19:51
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jul 09 05:38:00 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070720S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 08 08:28:05 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.596	0.611	-2.5	96	0.00
91 T	1,2-Dichlorobenzene	1.372	1.430	-4.2	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.108	-14.9	108	0.00
93 T	1,2,4-Trichlorobenzene	0.865	0.973	-12.5	105	0.00
94 T	Hexachlorobutadiene	0.549	0.601	-9.5	107	0.00
95 T	Naphthalene	1.445	1.849	-28.0#	115	0.00
96 T	1,2,3-Trichlorobenzene	0.736	0.871	-18.3	113	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6