

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070918\
 Data File : VW003814.D
 Acq On : 10 Jul 2018 08:54
 Operator : SY/AP
 Sample : J3880-16
 Misc : 4.95G/5ML/MSVOA W/SOIL
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-18

Quant Time: Jul 10 10:47:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 07 05:07:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	100031	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	166411	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	121636	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	32242	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.31	65	37072	28.34	ug/l	0.00
Spiked Amount	50.000		Recovery	=	56.68%	
35) Dibromofluoromethane	7.88	113	32343	27.77	ug/l	0.00
Spiked Amount	50.000		Recovery	=	55.54%	
50) Toluene-d8	10.33	98	77349	17.36	ug/l	0.00
Spiked Amount	50.000		Recovery	=	34.72%	
62) 4-Bromofluorobenzene	12.62	95	18162	11.27	ug/l	0.00
Spiked Amount	50.000		Recovery	=	22.54%	

Target Compounds


					Qvalue	
8) Diethyl Ether	3.67	74	713	1.414	ug/l #	9
11) Tert butyl alcohol	5.23	59	244	3.442	ug/l #	70
13) Acrolein	3.70	56	61	5.250	ug/l #	14
16) Acetone	4.14	43	920	4.054	ug/l #	87
20) Methylene Chloride	4.91	84	14391	9.456	ug/l #	84
25) 2-Butanone	7.15	43	629	1.769	ug/l #	51
29) Tetrahydrofuran	7.54	42	378	1.654	ug/l #	77
31) Cyclohexane	7.95	56	2799	1.466	ug/l #	1
36) 1,1-Dichloropropene	7.95	75	8883	5.031	ug/l #	51
38) Carbon Tetrachloride	7.95	117	10565	6.293	ug/l #	18
76) 1,2,3-Trichloropropane	12.62	75	9939	31.392	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.62	75	9939	76.792	ug/l #	7


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070918\
Data File : VW003814.D
Acq On : 10 Jul 2018 08:54
Operator : SY/AP
Sample : J3880-16
Misc : 4.95G/5ML/MSVOA W/SOIL
ALS Vial : 52 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-18

Quant Time: Jul 10 10:47:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 07 05:07:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 1043

Delta R.T. -0.01 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-18

Tot Ion:168 Resp: 100031

Ion Ratio Lower Upper

168 100

99 59.8 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

50000

40000

30000



20000

10000

0

7.85 7.90 7.95 8.00 8.05

Time-->



#8

Diethyl Ether

Concen: 1.414 ug/l

RT: 3.67 min Scan# 341

Delta R.T. -0.01 min

Lab File: VW003814.D


Acq: 10 Jul 2018 08:54

Tgt Ion: 74 Resp: 713

Ion Ratio Lower Upper

74 100

45 198.2 52.4 157.2#



Abundance Ion 74.00 (73.70 to 74.70): VW

Ion 45.00 (44.70 to 45.70): VW

3.67

500

400

300


200


100

0

3.60 3.65 3.70

Time-->





#11

Tert butyl alcohol

Concen: 3.442 ug/l

RT: 5.23 min Scan# 597

Delta R.T. 0.01 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-18

Tot Ion: 59 Resp: 244

Ion Ratio Lower Upper

59 100

57 0.0 9.3 13.9#



Abundance Ion 59.00 (58.70 to 59.70): VW

Ion 57.00 (56.70 to 57.70): VW

5.23

250

200



150

100

50

0

Time-->



#13

Acrolein

Concen: 5.250 ug/l

RT: 3.70 min Scan# 346

Delta R.T. -0.19 min

Lab File: VW003814.D


Acq: 10 Jul 2018 08:54

Tgt Ion: 56 Resp: 61

Ion Ratio Lower Upper

56 100

55 0.0 57.5 86.3#



Abundance Ion 56.00 (55.70 to 56.70): VW

Ion 55.00 (54.70 to 55.70): VW

3.70

120

100

80


60


40

20

0

Time-->









#16
Acetone
Concen: 4.054 ug/l
RT: 4.14 min Scan# 419
Delta R.T. 0.01 min
Lab File: VW003814.D
Acq: 10 Jul 2018 08:54




Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-18


Tot Ion: 43 Resp: 920
Ion Ratio Lower Upper
43 100
58 21.5 22.6 34.0#



#20
Methylene Chloride
Concen: 9.456 ug/l
RT: 4.91 min Scan# 545
Delta R.T. 0.00 min
Lab File: VW003814.D
Acq: 10 Jul 2018 08:54

Tgt Ion: 84 Resp: 14391
Ion Ratio Lower Upper
84 100
49 111.0 105.1 157.7
51 33.5 32.5 48.7
86 48.9 49.8 74.6#





#25

2-Butanone

Concen: 1.769 ug/l

RT: 7.15 min Scan# 912

Delta R.T. -0.04 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-18

Tot Ion: 43 Resp: 629

Ion Ratio Lower Upper




43 100

72 0.0 19.4 29.2#



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 72.00 (71.70 to 72.70): VW



#29

Tetrahydrofuran

Concen: 1.654 ug/l

RT: 7.54 min Scan# 976

Delta R.T. 0.00 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54


Tgt Ion: 42 Resp: 378

Ion Ratio Lower Upper

42 100

72 19.8 31.8 47.8#



71 29.9 30.3 45.5#




Abundance Ion 42.00 (41.70 to 42.70): VW

Ion 72.00 (71.70 to 72.70): VW

Ion 71.00 (70.70 to 71.70): VW





#31

Cyclohexane

Concen: 1.466 ug/l

RT: 7.95 min Scan# 1043

Delta R.T. -0.01 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-18





Tot Ion: 56 Resp: 2799

Ion Ratio Lower Upper

56 100

69 204.1 26.2 39.4#

84 105.1 65.5 98.3#



#33

1,2-Dichloroethane-d4

Concen: 28.340 ug/l

RT: 8.31 min Scan# 1102

Delta R.T. 0.00 min

Lab File: VW003814.D




Acq: 10 Jul 2018 08:54


Tgt Ion: 65 Resp: 37072

Ion Ratio Lower Upper

65 100

67 50.6 0.0 103.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1190

Delta R.T. -0.01 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-18


Tot Ion:114 Resp: 166411

Ion Ratio Lower Upper

114 100

63 21.2 0.0 41.8




88 14.8 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 27.770 ug/l

RT: 7.88 min Scan# 1033

Delta R.T. 0.00 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54


Tgt Ion:113 Resp: 32343

Ion Ratio Lower Upper

113 100

111 103.6 81.7 122.5



192 19.6 15.8 23.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#36
 1,1-Dichloropropene
 Concen: 5.031 ug/l
 RT: 7.95 min Scan# 1044
 Delta R.T. -0.13 min
 Lab File: VW003814.D
 Acq: 10 Jul 2018 08:54




Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-18


Tot Ion: 75 Resp: 8883
 Ion Ratio Lower Upper
 75 100
 110 9.0 16.9 50.6#
 77 0.2 24.8 37.2#



#38
 Carbon Tetrachloride
 Concen: 6.293 ug/l
 RT: 7.95 min Scan# 1043
 Delta R.T. -0.12 min
 Lab File: VW003814.D
 Acq: 10 Jul 2018 08:54

Tgt Ion: 117 Resp: 10565
 Ion Ratio Lower Upper
 117 100
 119 8.9 77.4 116.2#
 121 0.0 24.6 37.0#





#50

Toluene-d8

Concen: 17.362 ug/l

RT: 10.33 min Scan# 1434

Delta R.T. 0.01 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :





SURCHARGE-SP-18

Tot Ion: 98 Resp: 77349

Ion Ratio Lower Upper

98 100

100 62.9 50.8 76.2



#62

4-Bromofluorobenzene

Concen: 11.267 ug/l

RT: 12.62 min Scan# 1810

Delta R.T. 0.00 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54




Tgt Ion: 95 Resp: 18162


Ion Ratio Lower Upper

95 100

174 83.9 0.0 163.4

176 79.6 0.0 156.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1648
Delta R.T. 0.00 min
Lab File: VW003814.D
Acq: 10 Jul 2018 08:54




Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-18


Tot Ion:117 Resp: 121636
Ion Ratio Lower Upper
117 100
82 57.2 46.9 70.3
119 31.1 25.5 38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.57 min Scan# 1965
Delta R.T. 0.00 min
Lab File: VW003814.D
Acq: 10 Jul 2018 08:54

Tgt Ion:152 Resp: 32242
Ion Ratio Lower Upper
152 100
115 58.8 28.9 86.8
150 155.3 0.0 342.4





#76

1,2,3-Trichloropropane

Concen: 31.392 ug/l

RT: 12.62 min Scan# 1810

Delta R.T. -0.15 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Instrument :

MSVOA_W

ClientSampleId :





SURCHARGE-SP-18

Tot Ion: 75 Resp: 9939

Ion Ratio Lower Upper

75 100

77 0.3 0.0 0.0#



#81

trans-1,4-Dichloro-2-butene

Concen: 76.792 ug/l

RT: 12.62 min Scan# 1810

Delta R.T. 0.10 min

Lab File: VW003814.D

Acq: 10 Jul 2018 08:54

Tgt Ion: 75 Resp: 9939

Ion Ratio Lower Upper

75 100

53 0.0 85.0 127.6#

89 0.0 36.3 54.5#

