

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070918\
 Data File : VW003808.D
 Acq On : 10 Jul 2018 06:17
 Operator : SY/AP
 Sample : J3880-04
 Misc : 4.94G/5ML/MSVOA W/SOIL
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-12

Quant Time: Jul 10 07:27:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 07 05:07:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	63928	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	96625	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	65967	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	15520	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	41002	49.05	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.10%	
35) Dibromofluoromethane	7.88	113	37138	54.92	ug/l	0.00
Spiked Amount 50.000			Recovery	=	109.84%	
50) Toluene-d8	10.33	98	81453	31.49	ug/l	0.00
Spiked Amount 50.000			Recovery	=	62.98%	
62) 4-Bromofluorobenzene	12.62	95	17491	18.69	ug/l	0.00
Spiked Amount 50.000			Recovery	=	37.38%	
Target Compounds						
20) Methylene Chloride	4.90	84	7978	7.566	ug/l	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070918\
Data File : VW003808.D
Acq On : 10 Jul 2018 06:17
Operator : SY/AP
Sample : J3880-04
Misc : 4.94G/5ML/MSVOA W/SOIL
ALS Vial : 46 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-12

Quant Time: Jul 10 07:27:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 07 05:07:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 1043

Delta R.T. -0.01 min

Lab File: VW003808.D

Acq: 10 Jul 2018 06:17

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-12

Tot Ion:168 Resp: 63928

Ion Ratio Lower Upper




168 100

99 55.9 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#20

Methylene Chloride

Concen: 7.566 ug/l

RT: 4.90 min Scan# 543

Delta R.T. -0.01 min

Lab File: VW003808.D

Acq: 10 Jul 2018 06:17

Tgt Ion: 84 Resp: 7978


Ion Ratio Lower Upper

84 100

49 133.3 105.1 157.7

51 40.4 32.5 48.7

86 55.3 49.8 74.6






Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW









#33
 1,2-Dichloroethane-d4
 Concen: 49.045 ug/l
 RT: 8.31 min Scan# 1102
 Delta R.T. 0.00 min
 Lab File: VW003808.D
 Acq: 10 Jul 2018 06:17




Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-12


Tot Ion: 65 Resp: 41002
 Ion Ratio Lower Upper
 65 100
 67 51.3 0.0 103.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: VW003808.D
 Acq: 10 Jul 2018 06:17

Tgt Ion: 114 Resp: 96625
 Ion Ratio Lower Upper
 114 100
 63 22.9 0.0 41.8
 88 14.4 0.0 30.2









#35
Dibromofluoromethane
Concen: 54.916 ug/l
RT: 7.88 min Scan# 1033
Delta R.T. 0.00 min
Lab File: VW003808.D
Acq: 10 Jul 2018 06:17

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-12

Tot Ion:113 Resp: 37138




Ion	Ratio	Lower	Upper
113	100		
111	99.0	81.7	122.5
192	20.4	15.8	23.8




#50
Toluene-d8
Concen: 31.487 ug/l
RT: 10.33 min Scan# 1434
Delta R.T. 0.01 min
Lab File: VW003808.D
Acq: 10 Jul 2018 06:17

Tgt Ion: 98 Resp: 81453

Ion	Ratio	Lower	Upper
98	100		
100	61.8	50.8	76.2





#62

4-Bromofluorobenzene

Concen: 18.688 ug/l

RT: 12.62 min Scan# 1810

Delta R.T. 0.00 min

Lab File: VW003808.D

Acq: 10 Jul 2018 06:17

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-12


Tot Ion: 95 Resp: 17491

Ion Ratio Lower Upper

95 100

174 84.7 0.0 163.4




176 82.0 0.0 156.8



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1648

Delta R.T. 0.00 min

Lab File: VW003808.D

Acq: 10 Jul 2018 06:17


Tgt Ion: 117 Resp: 65967

Ion Ratio Lower Upper

117 100

82 61.0 46.9 70.3



119 32.8 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): VW





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.57 min Scan# 1965

Delta R.T. 0.00 min

Lab File: VW003808.D

Acq: 10 Jul 2018 06:17

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-12


Tot Ion:152 Resp: 15520

Ion Ratio Lower Upper

152 100

115 56.4 28.9 86.8

150 157.4 0.0 342.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

