

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW070918\
 Data File : VW003816.D
 Acq On : 10 Jul 2018 09:46
 Operator : SY/AP
 Sample : J3880-20
 Misc : 4.68G/5ML/MSVOA W/SOIL
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-20

Quant Time: Jul 10 10:56:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 07 05:07:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	97120	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	166433	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	132503	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	39957	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	70657	55.63	ug/l	0.00
Spiked Amount 50.000			Recovery	=	111.26%	
35) Dibromofluoromethane	7.88	113	59642	51.20	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.40%	
50) Toluene-d8	10.33	98	165819	37.21	ug/l	0.00
Spiked Amount 50.000			Recovery	=	74.42%	
62) 4-Bromofluorobenzene	12.62	95	42476	26.35	ug/l	0.00
Spiked Amount 50.000			Recovery	=	52.70%	
Target Compounds						
20) Methylene Chloride	4.91	84	14300	9.790	ug/l	Qvalue 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW070918\
Data File : VW003816.D
Acq On : 10 Jul 2018 09:46
Operator : SY/AP
Sample : J3880-20
Misc : 4.68G/5ML/MSVOA W/SOIL
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-20

Quant Time: Jul 10 10:56:51 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 07 05:07:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 1044

Delta R.T. -0.00 min

Lab File: VW003816.D

Acq: 10 Jul 2018 09:46

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-20

Tot Ion:168 Resp: 97120

Ion Ratio Lower Upper

168 100

99 53.9 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

50000

40000

30000



20000

10000

0

Time-->

7.85 7.90 7.95 8.00 8.05



#20

Methylene Chloride

Concen: 9.790 ug/l

RT: 4.91 min Scan# 545

Delta R.T. 0.00 min

Lab File: VW003816.D

Acq: 10 Jul 2018 09:46

Tgt Ion: 84 Resp: 14300


Ion Ratio Lower Upper

84 100

49 113.9 105.1 157.7

51 39.1 32.5 48.7

86 58.2 49.8 74.6



Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW

6000

5000

4000

3000


2000


1000

0

Time-->

4.80 4.90 5.00 5.10









#33
 1,2-Dichloroethane-d4
 Concen: 55.633 ug/l
 RT: 8.31 min Scan# 1102
 Delta R.T. -0.00 min
 Lab File: VW003816.D
 Acq: 10 Jul 2018 09:46




Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-20


Tot Ion: 65 Resp: 70657
 Ion Ratio Lower Upper
 65 100
 67 51.7 0.0 103.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.85 min Scan# 1191
 Delta R.T. -0.00 min
 Lab File: VW003816.D
 Acq: 10 Jul 2018 09:46

Tgt Ion: 114 Resp: 166433
 Ion Ratio Lower Upper
 114 100
 63 20.8 0.0 41.8
 88 15.5 0.0 30.2





#35

Dibromofluoromethane

Concen: 51.202 ug/l

RT: 7.88 min Scan# 1033

Delta R.T. -0.00 min

Lab File: VW003816.D

Acq: 10 Jul 2018 09:46

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-20


Tot Ion:113 Resp: 59642

Ion Ratio Lower Upper

113 100

111 101.1 81.7 122.5




192 20.0 15.8 23.8



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 37.214 ug/l

RT: 10.33 min Scan# 1434

Delta R.T. 0.01 min

Lab File: VW003816.D


Acq: 10 Jul 2018 09:46

Tgt Ion: 98 Resp: 165819

Ion Ratio Lower Upper



98 100


100 61.4 50.8 76.2



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 26.347 ug/l
RT: 12.62 min Scan# 1810
Delta R.T. -0.00 min
Lab File: VW003816.D
Acq: 10 Jul 2018 09:46




Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-20


Tot Ion: 95 Resp: 42476
Ion Ratio Lower Upper
95 100
174 85.4 0.0 163.4
176 80.3 0.0 156.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1648
Delta R.T. -0.00 min
Lab File: VW003816.D
Acq: 10 Jul 2018 09:46

Tgt Ion: 117 Resp: 132503
Ion Ratio Lower Upper
117 100
82 56.7 46.9 70.3
119 33.6 25.5 38.3





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.57 min Scan# 1965

Delta R.T. -0.00 min

Lab File: VW003816.D

Acq: 10 Jul 2018 09:46

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-20


Tot Ion:152 Resp: 39957

Ion Ratio Lower Upper

152 100

115 57.4 28.9 86.8

150 158.0 0.0 342.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

