

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071018\
 Data File : VW003839.D
 Acq On : 10 Jul 2018 21:17
 Operator : SY/AP
 Sample : J3880-20RE
 Misc : 4.61G/5ML/MSVOA W/SOIL
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SURCHARGE-SP-20RE

Quant Time: Jul 11 05:39:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 07 05:07:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	142407	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	240141	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	198397	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	66389	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	64592	34.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	69.36%	
35) Dibromofluoromethane	7.88	113	54922	32.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	65.36%	
50) Toluene-d8	10.33	98	158653	24.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	49.36%	
62) 4-Bromofluorobenzene	12.62	95	44622	19.18	ug/l	0.00
Spiked Amount	50.000		Recovery	=	38.36%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW071018\
Data File : VW003839.D
Acq On : 10 Jul 2018 21:17
Operator : SY/AP
Sample : J3880-20RE
Misc : 4.61G/5ML/MSVOA W/SOIL
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-20RE

Quant Time: Jul 11 05:39:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W070718S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 07 05:07:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.95 min Scan# 1044

Delta R.T. 0.00 min

Lab File: VW003839.D

Acq: 10 Jul 2018 21:17

Instrument :

MSVOA_W

ClientSampleId :


SURCHARGE-SP-20RE

Tot Ion:168 Resp: 142407

Ion Ratio Lower Upper




168 100

99 55.8 45.0 67.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 34.68 ug/l

RT: 8.31 min Scan# 1102

Delta R.T. 0.00 min

Lab File: VW003839.D


Acq: 10 Jul 2018 21:17

Tgt Ion: 65 Resp: 64592

Ion Ratio Lower Upper



65 100


67 50.5 0.0 103.8



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 8.85 min Scan# 1191

Delta R.T. 0.00 min

Lab File: VW003839.D

Acq: 10 Jul 2018 21:17

Instrument :

MSVOA_W

ClientSampleId :

SURCHARGE-SP-20RE


Tot Ion:114 Resp: 240141

Ion Ratio Lower Upper

114 100

63 21.5 0.0 41.8




88 15.5 0.0 30.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 32.68 ug/l

RT: 7.88 min Scan# 1033

Delta R.T. 0.00 min

Lab File: VW003839.D

Acq: 10 Jul 2018 21:17


Tgt Ion:113 Resp: 54922

Ion Ratio Lower Upper

113 100

111 105.2 81.7 122.5



192 19.9 15.8 23.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 24.68 ug/l

RT: 10.33 min Scan# 1434

Delta R.T. 0.01 min

Lab File: VW003839.D

Acq: 10 Jul 2018 21:17

Instrument :

MSVOA_W

ClientSampleId :





SURCHARGE-SP-20RE

Tot Ion: 98 Resp: 158653

Ion Ratio Lower Upper

98 100

100 62.1 50.8 76.2



#62

4-Bromofluorobenzene

Concen: 19.18 ug/l

RT: 12.62 min Scan# 1810

Delta R.T. 0.00 min

Lab File: VW003839.D

Acq: 10 Jul 2018 21:17




Tgt Ion: 95 Resp: 44622


Ion Ratio Lower Upper

95 100

174 83.2 0.0 163.4

176 80.7 0.0 156.8









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.63 min Scan# 1648
Delta R.T. 0.00 min
Lab File: VW003839.D
Acq: 10 Jul 2018 21:17

Instrument :
MSVOA_W
ClientSampleId :
SURCHARGE-SP-20RE

Tot Ion	117	Resp	198397
Ion Ratio	100	Lower	Upper
82	57.0	46.9	70.3
119	30.8	25.5	38.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.57 min Scan# 1965
Delta R.T. 0.00 min
Lab File: VW003839.D
Acq: 10 Jul 2018 21:17

Tgt Ion	152	Resp	66389
Ion Ratio	100	Lower	Upper
115	58.8	28.9	86.8
150	156.6	0.0	342.4

