

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071221\
 Data File : VW019421.D
 Acq On : 12 Jul 2021 10:21
 Operator : SY/VA
 Sample : VW0712SBL01
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK404

Quant Time: Jul 13 02:20:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 13 02:19:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	501138	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	464904	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	225492	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	176368	24.839	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.360%
7) Chloroethane-d5	2.898	69	123081	24.308	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.240%
11) 1,1-Dichloroethene-d2	4.025	63	240935	17.586	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.360%
21) 2-Butanone-d5	7.092	46	95975	46.570	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.140%
24) Chloroform-d	7.653	84	316665	22.869	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.480%
26) 1,2-Dichloroethane-d4	8.311	65	181026	23.823	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.280%
32) Benzene-d6	8.275	84	664035	23.995	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.960%
36) 1,2-Dichloropropane-d6	9.274	67	205439	23.818	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.280%
41) Toluene-d8	10.323	98	596597	23.911	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.640%
43) trans-1,3-Dichloroprop...	10.579	79	88337	23.914	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.640%
47) 2-Hexanone-d5	10.927	63	76836	48.015	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.040%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	169190	24.275	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.120%
66) 1,2-Dichlorobenzene-d4	13.853	152	197698	24.849	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.400%
Target Compounds					Qvalue	
42) Toluene	10.390	91	10767	0.355	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071221\
Data File : VW019421.D
Acq On : 12 Jul 2021 10:21
Operator : SY/VA
Sample : VW0712SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK404

Quant Time: Jul 13 02:20:53 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 13 02:19:34 2021
Response via : Initial Calibration





#42
Toluene
Concen: 0.355 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. 0.000 min
Lab File: VW019421.D
Acq: 12 Jul 2021 10:21

Instrument :
MSVOA_W
ClientSampleId :
VBLK404

Tgt Ion: 91 Resp: 10767
Ion Ratio Lower Upper
91 100
92 52.6 39.5 73.3

