

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071320\
 Data File : VW015847.D
 Acq On : 13 Jul 2020 16:57
 Operator : SY/VA
 Sample : VIBLK10
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampled :
 VIBLK10

Manual Integrations
APPROVED

MMDadoda
 7/15/2020 11:41:18 AM

Quant Time: Jul 14 03:44:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071320S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 14 03:37:11 2020
 Response via : Initial Calibration



TIC: VW015847.D

(26) 1,2-Dichloroethane-d4 (S)

8.250min (-0.055) 0.03ug/L

response 114




Ion	Exp%	Act%
65.00	100	100
67.00	52.70	49.12
51.00	103.80	104.39
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071320\
Data File : VW015847.D
Acq On : 13 Jul 2020 16:57
Operator : SY/VA
Sample : VIBLK10
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Manual Integrations APPROVED

MMDadoda
7/15/2020 11:41:18 AM

Quant Time: Jul 14 03:44:13 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071320S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 14 03:37:11 2020
Response via : Initial Calibration



TIC: VW015847.D

8.311min (+0.006) 24.52ug/L m

response 107520

Ion	Exp%	Act%
65.00	100	100
67.00	52.70	0.05#
51.00	103.80	0.11#
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071320\
 Data File : VW015847.D
 Acq On : 13 Jul 2020 16:57
 Operator : SY/VA
 Sample : VIBLK10
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK10

Manual Integrations
 APPROVED

MMDadoda
 7/15/2020 11:41:18 AM

Quant Time: Jul 14 03:54:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071320S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 14 03:37:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	299593	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	296132	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	122719	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.35	65	127143	24.54	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	98.16%		
7) Chloroethane-d5	2.90	69	118677	22.63	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.52%		
10) 1,1-Dichloroethene-d2	4.01	63	117707	16.63	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.52%		
20) 2-Butanone-d5	7.09	46	43904	54.92	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	109.84%		
24) Chloroform-d	7.65	84	177777	21.79	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	87.16%		
26) 1,2-Dichloroethane-d4	8.31	65	107520m	24.52	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	98.08%		
29) Benzene-d6	8.28	84	368576	22.42	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.68%		
33) 1,2-Dichloropropane-d6	9.27	67	103916	22.22	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.88%		
37) Toluene-d8	10.33	98	353029	22.40	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.60%		
38) trans-1,3-Dichloropropene-	10.58	79	45624	22.59	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	90.36%		
39) 2-Hexanone-d5	10.93	63	37431	55.87	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	111.74%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	91284	24.08	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	96.32%		
61) 1,2-Dichlorobenzene-d4	13.86	152	112605	24.42	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	97.68%		
Target Compounds						
16) Methylene chloride	4.92	84	9570	2.410	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW071320\
Data File : VW015847.D
Acq On : 13 Jul 2020 16:57
Operator : SY/VA
Sample : VIBLK10
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK10

Manual Integrations
APPROVED

MMDadoda
7/15/2020 11:41:18 AM

Quant Time: Jul 14 03:54:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071320S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 14 03:37:11 2020
Response via : Initial Calibration

