

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071421\
 Data File : VW019478.D
 Acq On : 14 Jul 2021 11:48
 Operator : SY/VA
 Sample : M2959-12
 Misc : 5.08G/10ML/MSVOA_W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Quant Time: Jul 15 01:05:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jul 15 01:04:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	445316	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	423792	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	200865	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	146931	23.287	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	93.160%	
7) Chloroethane-d5	2.892	69	104215	23.162	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	92.640%	
11) 1,1-Dichloroethene-d2	4.025	63	205641	16.891	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	67.560%	
21) 2-Butanone-d5	7.086	46	84256	46.009	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	92.020%	
24) Chloroform-d	7.653	84	285732	23.222	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	92.880%	
26) 1,2-Dichloroethane-d4	8.311	65	163766	24.253	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	97.000%	
32) Benzene-d6	8.275	84	591787	23.459	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	93.840%	
36) 1,2-Dichloropropane-d6	9.275	67	182471	23.207	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	92.840%	
41) Toluene-d8	10.323	98	523820	23.031	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	92.120%	
43) trans-1,3-Dichloroprop...	10.579	79	76902	22.838	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	91.360%	
47) 2-Hexanone-d5	10.927	63	66701	45.725	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	91.460%	
56) 1,1,2,2-Tetrachloroeth...	12.695	84	149228	23.488	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	93.960%	
66) 1,2-Dichlorobenzene-d4	13.853	152	170286	24.028	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	96.120%	
Target Compounds						
					Qvalue	
13) Acetone	4.154	43	7346	5.444	ug/L	82
16) Methylene chloride	4.928	84	36840	4.150	ug/L	98
42) Toluene	10.390	91	8962	0.324	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071421\
Data File : VW019478.D
Acq On : 14 Jul 2021 11:48
Operator : SY/VA
Sample : M2959-12
Misc : 5.08G/10ML/MSVOA_W/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: Jul 15 01:05:26 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jul 15 01:04:10 2021
Response via : Initial Calibration









#13
Acetone
Concen: 5.444 ug/L
RT: 4.154 min Scan# 369
Delta R.T. 0.000 min
Lab File: VW019478.D
Acq: 14 Jul 2021 11:48




Instrument :
MSVOA_W
ClientSampled :
VHBLK002


Tgt Ion: 43 Resp: 7346
Ion Ratio Lower Upper
43 100
58 17.5 0.0 53.8



#16
Methylene chloride
Concen: 4.150 ug/L
RT: 4.928 min Scan# 496
Delta R.T. 0.006 min
Lab File: VW019478.D
Acq: 14 Jul 2021 11:48

Tgt Ion: 84 Resp: 36840
Ion Ratio Lower Upper
84 100
86 64.1 45.3 84.1
49 119.9 86.6 160.8





#42
Toluene
Concen: 0.324 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. 0.000 min
Lab File: VW019478.D
Acq: 14 Jul 2021 11:48

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Tgt Ion: 91 Resp: 8962
Ion Ratio Lower Upper
91 100
92 51.7 39.5 73.3

