




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023776.D
 Acq On : 16 Jul 2022 04:23
 Operator : SY/VA
 Sample : N3701-03RE
 Misc : 5.86g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B64RE

Manual IntegrationsAPPROVED

Quant Time: Jul 16 04:47:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 16 01:30:01 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022



TIC: VW023776.D\data.ms

(21) 2-Butanone-d5 (S)

7.238min (+ 0.158) 1.34 ug/L

response 207

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.70	26.57
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023776.D
 Acq On : 16 Jul 2022 04:23
 Operator : SY/VA
 Sample : N3701-03RE
 Misc : 5.86g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B64RE

Manual IntegrationsAPPROVED

Quant Time: Jul 16 04:47:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 16 01:30:01 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022



TIC: VW023776.D\data.ms

(21) 2-Butanone-d5 (S)

7.080min (-0.000) 57.70 ug/L m

response 8911

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	25.70	0.62#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023776.D
 Acq On : 16 Jul 2022 04:23
 Operator : SY/VA
 Sample : N3701-03RE
 Misc : 5.86g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B64RE

Manual IntegrationsAPPROVED

Quant Time: Jul 16 04:47:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 16 01:30:01 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	38983	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	35435	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	11075	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	24538	24.645	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	98.560%	
7) Chloroethane-d5	2.873	69	23663	35.625	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	142.520%	
11) 1,1-Dichloroethene-d2	4.007	63	15179	18.722	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	74.880%	
21) 2-Butanone-d5	7.080	46	8911m	57.700	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	115.400%	
24) Chloroform-d	7.653	84	27435	24.172	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	96.680%	
26) 1,2-Dichloroethane-d4	8.305	65	16386	23.605	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	94.440%	
32) Benzene-d6	8.275	84	45856	24.894	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	99.560%	
36) 1,2-Dichloropropane-d6	9.268	67	15328	27.625	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	110.520%	
41) Toluene-d8	10.323	98	36627	19.603	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	78.400%	
43) trans-1,3-Dichloroprop...	10.579	79	3697	14.215	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	56.840%	
47) 2-Hexanone-d5	10.927	63	4314	36.975	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	73.940%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	14052	22.917	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	91.680%	
66) 1,2-Dichlorobenzene-d4	13.847	152	9344	23.635	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	94.520%	
Target Compounds					Qvalue	
13) Acetone	4.135	43	4732	43.338	ug/L	88
14) Carbon disulfide	4.373	76	3066	2.522	ug/L #	75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
Data File : VW023776.D
Acq On : 16 Jul 2022 04:23
Operator : SY/VA
Sample : N3701-03RE
Misc : 5.86g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5B64RE

Manual IntegrationsAPPROVED

Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022

Quant Time: Jul 16 04:47:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 16 01:30:01 2022
Response via : Initial Calibration

