

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023747.D
 Acq On : 15 Jul 2022 16:07
 Operator : SY/VA
 Sample : N3678-20
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022

Quant Time: Jul 15 22:16:45 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jul 15 22:15:34 2022
 Response via : Initial Calibration

07/18/2022
 Supervised By :Mahesh
 Dadoda

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	162134	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	166395	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	74538	25.000	ug/L	0.00

07/18/2022

System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	133062	32.133	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	128.520%
7) Chloroethane-d5	2.879	69	84271	30.505	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	122.000%
11) 1,1-Dichloroethene-d2	4.007	63	54693	16.220	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.880%
21) 2-Butanone-d5	7.080	46	31475m	49.002	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.000%
24) Chloroform-d	7.647	84	110948	23.504	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.000%
26) 1,2-Dichloroethane-d4	8.305	65	69896	24.210	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.840%
32) Benzene-d6	8.275	84	217468	25.142	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.560%
36) 1,2-Dichloropropane-d6	9.275	67	65227	25.035	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.120%
41) Toluene-d8	10.323	98	201316	22.946	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.800%
43) trans-1,3-Dichloroprop...	10.573	79	27775	22.743	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.960%
47) 2-Hexanone-d5	10.921	63	24933	45.509	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.020%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	59839	20.782	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.120%
66) 1,2-Dichlorobenzene-d4	13.847	152	69266	26.032	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.120%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
Data File : VW023747.D
Acq On : 15 Jul 2022 16:07
Operator : SY/VA
Sample : N3678-20
Misc : 5.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Jul 15 22:16:45 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jul 15 22:15:34 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022

07/18/2022
Supervised By :Mahesh
Dadoda

07/18/2022

