

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023800.D
 Acq On : 16 Jul 2022 19:59
 Operator : SY/VA
 Sample : N3702-14
 Misc : 5.64g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C68

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 07/18/2022
 Supervised By :Mahesh Dadoda 07/18/2022

Quant Time: Jul 18 02:08:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Jul 18 02:05:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	247650	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	231846	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	96328	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	92199	14.576	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	58.320%		
7) Chloroethane-d5	2.879	69	71381	16.916	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	67.680%		
11) 1,1-Dichloroethene-d2	4.013	63	48770	9.469	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	37.880%#		
21) 2-Butanone-d5	7.080	46	45649	46.528	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	93.060%		
24) Chloroform-d	7.653	84	141910	19.682	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	78.720%		
26) 1,2-Dichloroethane-d4	8.305	65	86431	19.600	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	78.400%		
32) Benzene-d6	8.274	84	247885	20.568	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.280%		
36) 1,2-Dichloropropane-d6	9.274	67	83570	23.020	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	92.080%		
41) Toluene-d8	10.323	98	228642	18.703	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	74.800%		
43) trans-1,3-Dichloroprop...	10.579	79	31519	18.522	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	74.080%		
47) 2-Hexanone-d5	10.926	63	34577	45.295	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.580%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	85152	21.225	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	84.880%		
66) 1,2-Dichlorobenzene-d4	13.853	152	73961	21.508	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	86.040%		
Target Compounds					Qvalue	
13) Acetone	4.135	43	3804m	5.484	ug/L	
20) cis-1,2-Dichloroethene	7.171	96	25917	7.345	ug/L #	93
34) Trichloroethene	9.091	95	46305	13.309	ug/L	99
46) Tetrachloroethene	10.866	164	35247	13.102	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
Data File : VW023800.D
Acq On : 16 Jul 2022 19:59
Operator : SY/VA
Sample : N3702-14
Misc : 5.64g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
F5C68

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022


Quant Time: Jul 18 02:08:14 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Jul 18 02:05:50 2022
Response via : Initial Calibration





#13
Acetone
Concen: 5.484 ug/L m
RT: 4.135 min Scan# 30
Delta R.T. 0.006 min
Lab File: VW023800.D
Acq: 16 Jul 2022 19:59




Instrument :
MSVOA_W
ClientSampleId :
F5C68



Tgt Ion: 43 Resp: 3804
Ion Ratio Lower Upper
43 100
58 8.6 0.0 64.2




Manual Integrations
APPROVED


Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022



#20
cis-1,2-Dichloroethene
Concen: 7.345 ug/L
RT: 7.171 min Scan# 864
Delta R.T. 0.006 min
Lab File: VW023800.D
Acq: 16 Jul 2022 19:59


Tgt Ion: 96 Resp: 25917
Ion Ratio Lower Upper
96 100
61 121.1 90.6 168.2
68 0.6 0.2 0.4





#34
Trichloroethene
Concen: 13.309 ug/L
RT: 9.091 min Scan# 1179
Delta R.T. -0.000 min
Lab File: VW023800.D
Acq: 16 Jul 2022 19:59

Instrument :
MSVOA_W
ClientSampleId :
F5C68






Tgt Ion: 95 Resp: 4630


Ion	Ratio	Lower	Upper
95	100		
97	65.6	45.6	84.8
132	99.2	69.9	129.7
130	108.2	75.4	140.0

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 07/18/2022
Supervised By :Mahesh Dadoda 07/18/2022



#46
Tetrachloroethene
Concen: 13.102 ug/L
RT: 10.866 min Scan# 1470
Delta R.T. 0.006 min
Lab File: VW023800.D
Acq: 16 Jul 2022 19:59



Tgt Ion:164 Resp: 35247

Ion	Ratio	Lower	Upper
164	100		
129	82.0	72.4	134.5
131	80.4	67.8	125.8
166	125.4	88.9	165.1

