

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
 Data File : VW023814.D
 Acq On : 17 Jul 2022 02:59
 Operator : SY/VA
 Sample : N3709-01
 Misc : 10.72g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 H0B11

Quant Time: Jul 18 03:01:42 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Jul 18 02:58:45 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	119487	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	121716	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	46083	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	40169	13.162	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.640%
7) Chloroethane-d5	2.879	69	38900	19.107	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.440%
11) 1,1-Dichloroethene-d2	4.007	63	23352	9.397	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	37.600%#
21) 2-Butanone-d5	7.086	46	22571	47.682	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.360%
24) Chloroform-d	7.647	84	68086	19.572	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.280%
26) 1,2-Dichloroethane-d4	8.305	65	46408	21.812	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.240%
32) Benzene-d6	8.275	84	110180	17.414	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	69.640%
36) 1,2-Dichloropropane-d6	9.274	67	41762	21.912	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.640%
41) Toluene-d8	10.323	98	101554	15.824	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	63.280%
43) trans-1,3-Dichloroprop...	10.579	79	15557	17.414	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	69.640%
47) 2-Hexanone-d5	10.927	63	18559	46.309	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.620%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	53683	25.488	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.960%
66) 1,2-Dichlorobenzene-d4	13.853	152	38142	23.186	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.760%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071522\
Data File : VW023814.D
Acq On : 17 Jul 2022 02:59
Operator : SY/VA
Sample : N3709-01
Misc : 10.72g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
H0B11

Quant Time: Jul 18 03:01:42 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Jul 18 02:58:45 2022
Response via : Initial Calibration

