

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW071619\
 Data File : VW011292.D
 Acq On : 16 Jul 2019 18:00
 Operator : SY/VA
 Sample : K3798-15
 Misc : 6.07G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A52F9

Manual Integrations
 APPROVED

MMDadoda
 7/18/2019 8:05:17 AM

Quant Time: Jul 17 07:25:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 17 07:20:32 2019
 Response via : Initial Calibration



(26) 1,2-Dichloroethane-d4 (S)

8.384min (+0.085) 0.02ug/L

response 128

Ion	Exp%	Act%
65.00	100	100
67.00	52.40	37.50
51.00	100.70	125.78
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW071619\
 Data File : VW011292.D
 Acq On : 16 Jul 2019 18:00
 Operator : SY/VA
 Sample : K3798-15
 Misc : 6.07G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 A52F9

Manual Integrations
 APPROVED

MMDadoda
 7/18/2019 8:05:17 AM

Quant Time: Jul 17 07:25:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 17 07:20:32 2019
 Response via : Initial Calibration



(26) 1,2-Dichloroethane-d4 (S)

8.305min (+0.006) 23.13ug/L m

response 129816

Ion	Exp%	Act%
65.00	100	100
67.00	52.40	0.04#
51.00	100.70	0.12#
0.00	0.00	0.00

207/17/19 SY

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW071619\
 Data File : VW011292.D
 Acq On : 16 Jul 2019 18:00
 Operator : SY/VA
 Sample : K3798-15
 Misc : 6.07G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A52F9

Manual Integrations
 APPROVED

MMDadoda
 7/18/2019 8:05:17 AM

Quant Time: Jul 17 08:50:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 17 07:20:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	332455	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	282283	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	111136	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	69914	13.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	55.08%
7) Chloroethane-d5	2.88	69	58938	16.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.20%
10) 1,1-Dichloroethene-d2	4.01	63	133049	12.38	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.52%
20) 2-Butanone-d5	7.07	46	113969	56.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.98%
24) Chloroform-d	7.65	84	193486	21.23	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.92%
26) 1,2-Dichloroethane-d4	8.31	65	129816m	23.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.52%
29) Benzene-d6	8.27	84	376997	21.68	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.72%
33) 1,2-Dichloropropane-d6	9.27	67	134971	23.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.36%
37) Toluene-d8	10.32	98	313121	20.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.84%
38) trans-1,3-Dichloropropene-	10.58	79	51513	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.56%
39) 2-Hexanone-d5	10.93	63	76402	58.83	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.66%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	124434	26.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.24%
61) 1,2-Dichlorobenzene-d4	13.86	152	92230	21.62	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.48%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	4.12	43	27482	14.070	ug/L	96
14) Carbon disulfide	4.38	76	320417	25.638	ug/L	99
15) Methyl Acetate	4.67	43	22022	6.929	ug/L	99
21) 2-Butanone	7.18	43	3581	1.420	ug/L	89
22) cis-1,2-Dichloroethene	7.17	96	92972	19.455	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW071619\
Data File : VW011292.D
Acq On : 16 Jul 2019 18:00
Operator : SY/VA
Sample : K3798-15
Misc : 6.07G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A52F9

Manual Integrations
APPROVED

MMDadoda
7/18/2019 8:05:17 AM

Quant Time: Jul 17 08:50:10 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM070219S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 17 07:20:32 2019
Response via : Initial Calibration

