




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
 Data File : VW023833.D
 Acq On : 18 Jul 2022 11:37
 Operator : SY/VA
 Sample : N3721-03
 Misc : 6.06g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C23

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:07:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 19 01:05:58 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/19/2022
 Supervised By :Mahesh Dadoda 07/20/2022



TIC: VW023833.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 4.29 ug/L

response 2658

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.10	17.16
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
 Data File : VW023833.D
 Acq On : 18 Jul 2022 11:37
 Operator : SY/VA
 Sample : N3721-03
 Misc : 6.06g/10mL/MSVOA_W/SoIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C23

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
 Supervised By :Mahesh Dadoda 07/20/2022

Quant Time: Jul 19 01:07:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 19 01:05:58 2022
 Response via : Initial Calibration



TIC: VW023833.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 9.38 ug/L m

response 5806

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.10	7.85
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
Data File : VW023833.D
Acq On : 18 Jul 2022 11:37
Operator : SY/VA
Sample : N3721-03
Misc : 6.06g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5C23

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
Supervised By :Mahesh Dadoda 07/20/2022

Quant Time: Jul 19 01:07:14 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 19 01:05:58 2022
Response via : Initial Calibration



TIC: VW023833.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.421min (+ 0.116) 0.05 ug/L

response 214

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	41.12
51.00	92.20	113.08
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
 Data File : VW023833.D
 Acq On : 18 Jul 2022 11:37
 Operator : SY/VA
 Sample : N3721-03
 Misc : 6.06g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C23

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
 Supervised By :Mahesh Dadoda 07/20/2022

Quant Time: Jul 19 01:07:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 19 01:05:58 2022
 Response via : Initial Calibration



TIC: VW023833.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.299min (-0.006) 21.01 ug/L m

response 82646

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	0.11#
51.00	92.20	0.29#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
 Data File : VW023833.D
 Acq On : 18 Jul 2022 11:37
 Operator : SY/VA
 Sample : N3721-03
 Misc : 6.06g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5C23

Manual IntegrationsAPPROVED

Quant Time: Jul 19 01:07:14 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 19 01:05:58 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 07/19/2022
 Supervised By :Mahesh Dadoda 07/20/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	220952	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	202008	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	71489	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	104503	18.518	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	74.080%	
7) Chloroethane-d5	2.879	69	98500	26.164	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	104.640%	
11) 1,1-Dichloroethene-d2	4.007	63	56233	12.237	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	48.960%	
21) 2-Butanone-d5	7.080	46	28719	32.809	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	65.620%	
24) Chloroform-d	7.653	84	142647	22.174	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	88.680%	
26) 1,2-Dichloroethane-d4	8.299	65	82646m	21.006	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	84.040%	
32) Benzene-d6	8.275	84	243462	23.185	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	92.720%	
36) 1,2-Dichloropropane-d6	9.268	67	85146	26.918	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	107.680%	
41) Toluene-d8	10.323	98	219546	20.612	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	82.440%	
43) trans-1,3-Dichloroprop...	10.579	79	24118	16.267	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	65.080%	
47) 2-Hexanone-d5	10.920	63	30666	46.105	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	92.200%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	77095	22.055	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	88.200%	
66) 1,2-Dichlorobenzene-d4	13.853	152	67617	26.496	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	106.000%	
Target Compounds						
13) Acetone	4.123	43	5806m	9.382	ug/L	
20) cis-1,2-Dichloroethene	7.171	96	15181	4.822	ug/L #	93
33) Benzene	8.323	78	7075	0.616	ug/L	100
42) Toluene	10.384	91	39260	2.999	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
Data File : VW023833.D
Acq On : 18 Jul 2022 11:37
Operator : SY/VA
Sample : N3721-03
Misc : 6.06g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F5C23

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
Supervised By :Mahesh Dadoda 07/20/2022

Quant Time: Jul 19 01:07:14 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 19 01:05:58 2022
Response via : Initial Calibration

