

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
 Data File : VW023844.D
 Acq On : 18 Jul 2022 16:06
 Operator : SY/VA
 Sample : N3701-10
 Misc : 5.25g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F5B83

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
 Supervised By :Mahesh Dadoda 07/20/2022

Quant Time: Jul 19 01:09:22 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 19 01:05:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	209387	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	201592	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	89421	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	102644	19.193	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.760%
7) Chloroethane-d5	2.879	69	84517	23.690	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.760%
11) 1,1-Dichloroethene-d2	4.007	63	50278	11.545	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	46.200%
21) 2-Butanone-d5	7.080	46	46099	55.573	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	111.140%
24) Chloroform-d	7.647	84	130158	21.351	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.400%
26) 1,2-Dichloroethane-d4	8.305	65	78157m	20.962	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.840%
32) Benzene-d6	8.269	84	219422	20.938	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.760%
36) 1,2-Dichloropropane-d6	9.275	67	73279	23.215	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.840%
41) Toluene-d8	10.323	98	203415	19.137	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.560%
43) trans-1,3-Dichloroprop...	10.579	79	27441	18.546	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.200%
47) 2-Hexanone-d5	10.927	63	34378	51.792	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.580%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	81589	23.389	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.560%
66) 1,2-Dichlorobenzene-d4	13.847	152	79221	24.818	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.280%
Target Compounds					Qvalue	
13) Acetone	4.123	43	13754	23.452	ug/L	99
14) Carbon disulfide	4.379	76	6773	1.037	ug/L #	85
16) Methylene chloride	4.916	84	19036	5.814	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071822\
Data File : VW023844.D
Acq On : 18 Jul 2022 16:06
Operator : SY/VA
Sample : N3701-10
Misc : 5.25g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
F5B83

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
Supervised By :Mahesh Dadoda 07/20/2022


Quant Time: Jul 19 01:09:22 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071322SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 19 01:05:58 2022
Response via : Initial Calibration





#13
Acetone
Concen: 23.452 ug/L
RT: 4.123 min Scan# 30
Delta R.T. 0.006 min
Lab File: VW023844.D
Acq: 18 Jul 2022 16:06




Instrument :
MSVOA_W
ClientSampleId :
F5B83




Tgt Ion: 43 Resp: 13754
Ion Ratio Lower Upper
43 100
58 31.5 0.0 64.2

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 07/19/2022
Supervised By :Mahesh Dadoda 07/20/2022




#14
Carbon disulfide
Concen: 1.037 ug/L
RT: 4.379 min Scan# 406
Delta R.T. 0.006 min
Lab File: VW023844.D
Acq: 18 Jul 2022 16:06




Tgt Ion: 76 Resp: 6773
Ion Ratio Lower Upper
76 100
78 14.3 7.2 10.8#





#16
Methylene chloride
Concen: 5.814 ug/L
RT: 4.916 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW023844.D
Acq: 18 Jul 2022 16:06

Instrument :
MSVOA_W
ClientSampleId :
F5B83



Tgt Ion: 84 Resp: 19030
Ion Ratio Lower Upper
84 100
86 71.2 42.8 79.6
49 140.8 85.4 158.6

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/19/2022
Supervised By :Mahesh Dadoda 07/20/2022

