

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071921\
 Data File : VW019508.D
 Acq On : 19 Jul 2021 17:24
 Operator : SY/VA
 Sample : M3040-02
 Misc : 6.54g/5.0mL/MSVOA_W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jul 20 04:45:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W071921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 20 04:37:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	0.000	168	0	0.000	ug/l	-7.95
34) 1,4-Difluorobenzene	0.000	114	0	0.000	ug/l	-8.85
63) Chlorobenzene-d5	0.000	117	0	0.000	ug/l	-11.63
72) 1,4-Dichlorobenzene-d4	0.000	152	0	0.000	ug/l	-13.56

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	0.000	65	0	0.000	ug/l	
Spiked Amount	50.000	Range	50 - 163	Recovery	=	0.000%#
35) Dibromofluoromethane	0.000	113	0	0.000	ug/l	
Spiked Amount	50.000	Range	54 - 147	Recovery	=	0.000%#
50) Toluene-d8	0.000	98	0	0.000	ug/l	
Spiked Amount	50.000	Range	49 - 140	Recovery	=	0.000%#
62) 4-Bromofluorobenzene	0.000	95	0	0.000	ug/l	
Spiked Amount	50.000	Range	25 - 144	Recovery	=	0.000%#


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071921\
Data File : VW019508.D
Acq On : 19 Jul 2021 17:24
Operator : SY/VA
Sample : M3040-02
Misc : 6.54g/5.0mL/MSVOA_W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jul 20 04:45:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W071921S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 20 04:37:55 2021
Response via : Initial Calibration







#1
Pentafluorobenzene
Concen: 0.000 ug/l
Expected RT: 7.95 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Instrument :
MSVOA_W
ClientSampleId :


Tgt Ion: 168
Sig Exp Ratio
168 100
99 64.9




#33
1,2-Dichloroethane-d4
Concen: 0.000 ug/l
Expected RT: 8.31 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Tgt Ion: 65
Sig Exp Ratio
65 100
67 53.9







#34
1,4-Difluorobenzene
Concen: 0.000 ug/l
Expected RT: 8.85 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Instrument :
MSVOA_W
ClientSampleId :


Tgt Ion: 114
Sig Exp Ratio
114 100
63 21.9
88 16.7




#35
Dibromofluoromethane
Concen: 0.000 ug/l
Expected RT: 7.89 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Tgt Ion: 113
Sig Exp Ratio
113 100
111 104.7
192 19.3







#50
Toluene-d8
Concen: 0.000 ug/l
Expected RT: 10.33 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Tgt Ion: 98
Sig Exp Ratio
98 100
100 65.3


Instrument :
MSVOA_W
ClientSampleId :




#62
4-Bromofluorobenzene
Concen: 0.000 ug/l
Expected RT: 12.62 min

Lab File: VW019508.D
Acq: 19 Jul 2021 17:24

Tgt Ion: 95
Sig Exp Ratio
95 100
174 73.3
176 68.4







#63
 Chlorobenzene-d5
 Concen: 0.000 ug/l
 Expected RT: 11.63 min
 Lab File: VW019508.D
 Acq: 19 Jul 2021 17:24

Instrument :
 MSVOA_W
 ClientSampleId :

Tgt Ion: 117

Sig	Exp Ratio
117	100
82	59.2
119	33.2



#72
 1,4-Dichlorobenzene-d4
 Concen: 0.000 ug/l
 Expected RT: 13.56 min
 Lab File: VW019508.D
 Acq: 19 Jul 2021 17:24

Tgt Ion: 152

Sig	Exp Ratio
152	100
115	61.2
150	171.2

