

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072118\
 Data File : VW004121.D
 Acq On : 21 Jul 2018 18:24
 Operator : SY/AP
 Sample : J4065-03
 Misc : 4.55G/10ML/MSVOA W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 JHT32

Quant Time: Jul 23 00:52:19 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 21 06:22:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	319130	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	316415	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	140477	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	52510	16.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.52%
7) Chloroethane-d5	2.89	69	39851	17.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.08%
10) 1,1-Dichloroethene-d2	4.01	63	95582	12.62	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	50.48%
20) 2-Butanone-d5	7.08	46	77184	41.70	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.40%
24) Chloroform-d	7.65	84	159725	21.09	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.36%
26) 1,2-Dichloroethane-d4	8.31	65	103028	22.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.32%
29) Benzene-d6	8.28	84	274743	18.72	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	74.88%
33) 1,2-Dichloropropane-d6	9.28	67	102933	21.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.12%
37) Toluene-d8	10.33	98	233704	17.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	70.88%
38) trans-1,3-Dichloropropene-	10.58	79	40821	18.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.92%
39) 2-Hexanone-d5	10.93	63	51932	39.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.82%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	117431	21.90	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.60%
61) 1,2-Dichlorobenzene-d4	13.86	152	99359	22.00	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072118\
Data File : VW004121.D
Acq On : 21 Jul 2018 18:24
Operator : SY/AP
Sample : J4065-03
Misc : 4.55G/10ML/MSVOA W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
JHT32

Quant Time: Jul 23 00:52:19 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM071818S.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 21 06:22:08 2018
Response via : Initial Calibration

