

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072120\
 Data File : VW015880.D
 Acq On : 21 Jul 2020 11:29
 Operator : SY/VA
 Sample : L3348-05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAXY9

Quant Time: Jul 22 06:48:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 22 06:22:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	422940	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	381115	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	184869	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	134534	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.16%
7) Chloroethane-d5	2.89	69	116785	24.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.36%
10) 1,1-Dichloroethene-d2	4.01	63	279672	23.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	92.72%
20) 2-Butanone-d5	7.09	46	86371	55.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.20%
24) Chloroform-d	7.65	84	278928	23.48	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.92%
26) 1,2-Dichloroethane-d4	8.31	65	162732	24.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.84%
29) Benzene-d6	8.27	84	571779	24.65	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.60%
33) 1,2-Dichloropropane-d6	9.27	67	169987	24.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.76%
37) Toluene-d8	10.33	98	505701	24.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.28%
38) trans-1,3-Dichloropropene-	10.58	79	73002	24.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	98.52%
39) 2-Hexanone-d5	10.93	63	65390	56.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	138644	25.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	103.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	171744	23.82	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.28%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
3) Chloromethane	2.21	50	84105	19.431	ug/L	99
6) Bromomethane	2.78	94	37693	9.464	ug/L	97
9) Trichlorofluoromethane	3.26	101	73733	16.431	ug/L	98
12) 1,1-Dichloroethene	4.04	96	118945	21.878	ug/L	94
13) Acetone	4.13	43	96712	73.461	ug/L	100
15) Methyl Acetate	4.68	43	107125	43.156	ug/L	99
16) Methylene chloride	4.92	84	85227	12.298	ug/L	97
17) Methyl tert-butyl Ether	5.43	73	267992	34.858	ug/L	99
18) trans-1,2-Dichloroethene	5.42	96	61980	10.796	ug/L	95
22) cis-1,2-Dichloroethene	7.17	96	162342	27.027	ug/L	98
23) Bromochloromethane	7.52	128	41578	15.785	ug/L	95
27) 1,2-Dichloroethane	8.40	62	76530	10.726	ug/L	98
30) Cyclohexane	7.96	56	100774	10.487	ug/L	98
31) 1,1,1-Trichloroethane	7.87	97	94044	10.568	ug/L	99
32) Carbon tetrachloride	8.07	117	105503	13.074	ug/L	100
35) Trichloroethene	9.09	95	260233	42.499	ug/L	99
36) Methylcyclohexane	9.34	83	287616	27.374	ug/L	100

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072120\
 Data File : VW015880.D
 Acq On : 21 Jul 2020 11:29
 Operator : SY/VA
 Sample : L3348-05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAXY9

Quant Time: Jul 22 06:48:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 22 06:22:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)


40) 1,2-Dichloropropane	9.37	63	78579	13.703	ug/L	100
41) Bromodichloromethane	9.65	83	157102	21.214	ug/L	100
42) cis-1,3-Dichloropropene	10.07	75	161530	18.495	ug/L	98
44) Toluene	10.39	91	527787	21.740	ug/L	99
45) trans-1,3-Dichloropropene	10.61	75	64704	8.547	ug/L	100
47) Tetrachloroethene	10.87	164	198897	41.848	ug/L	96
49) 2-Hexanone	10.97	43	87617	36.888	ug/L	93
50) Dibromochloromethane	11.13	129	101992	21.364	ug/L	100
53) Ethylbenzene	11.73	91	441494	16.172	ug/L	97
54) m,p-Xylene	11.85	106	110290	10.798	ug/L	94
55) o-xylene	12.17	106	128285	13.339	ug/L	100
57) Isopropylbenzene	12.47	105	350327	13.381	ug/L	99
63) 1,3-Dichlorobenzene	13.50	146	244990	20.706	ug/L	97
65) 1,2-Dichlorobenzene	13.87	146	110922	10.321	ug/L	90
66) 1,2-Dibromo-3-chloropropan	14.49	75	16725	20.676	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072120\
Data File : VW015880.D
Acq On : 21 Jul 2020 11:29
Operator : SY/VA
Sample : L3348-05
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAXY9

Quant Time: Jul 22 06:48:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 22 06:22:59 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 19.431 ug/L

RT: 2.21 min Scan# 51

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampleId :





GAXY9

Tot Ion: 50 Resp: 84105

Ion Ratio Lower Upper

50 100

52 32.3 22.8 42.4



#6

Bromomethane

Concen: 9.464 ug/L

RT: 2.78 min Scan# 144

Delta R.T. -0.01 min

Lab File: VW015880.D




Acq: 21 Jul 2020 11:29


Tgt Ion: 94 Resp: 37693

Ion Ratio Lower Upper

94 100

96 91.5 9.5 180.1









#9

Trichlorofluoromethane
 Concen: 16.431 ug/L
 RT: 3.26 min Scan# 223
 Delta R.T. -0.00 min
 Lab File: VW015880.D
 Acq: 21 Jul 2020 11:29

Instrument :
 MSVOA_W
 ClientSampled :
 GAXY9




Tot Ion:101 Resp: 73733
 Ion Ratio Lower Upper
 101 100
 103 64.2 45.8 85.2




#12

1,1-Dichloroethene
 Concen: 21.878 ug/L
 RT: 4.04 min Scan# 350
 Delta R.T. -0.00 min
 Lab File: VW015880.D
 Acq: 21 Jul 2020 11:29

Tgt Ion: 96 Resp: 118945
 Ion Ratio Lower Upper
 96 100
 61 181.0 125.0 232.2
 63 130.5 82.3 152.8





#13

Acetone

Concen: 73.461 ug/L

RT: 4.13 min Scan# 365

Delta R.T. -0.01 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampled :





GAXY9

Tot Ion: 43 Resp: 96712

Ion Ratio Lower Upper

43 100

58 28.8 0.0 58.2



#15

Methyl Acetate

Concen: 43.156 ug/L

RT: 4.68 min Scan# 455

Delta R.T. 0.01 min

Lab File: VW015880.D




Acq: 21 Jul 2020 11:29


Tgt Ion: 43 Resp: 107125

Ion Ratio Lower Upper

43 100

74 23.2 18.2 27.2





#16

Methylene chloride

Concen: 12.298 ug/L

RT: 4.92 min Scan# 494

Delta R.T. 0.01 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampleId :

GAXY9





Tot Ion: 84 Resp: 85227

Ion Ratio Lower Upper

84 100

49 125.3 91.1 169.1

86 64.4 46.0 85.4



#17

Methyl tert-butyl Ether

Concen: 34.858 ug/L

RT: 5.43 min Scan# 579

Delta R.T. 0.01 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29




Tgt Ion: 73 Resp: 267992


Ion Ratio Lower Upper

73 100

43 22.1 18.4 27.6

57 22.2 17.8 26.8





#18

trans-1,2-Dichloroethene

Concen: 10.796 ug/L

RT: 5.42 min Scan# 577

Delta R.T. -0.01 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampled :

GAXY9





Tot Ion: 96 Resp: 61980

Ion Ratio Lower Upper

96 100

61 150.1 99.3 184.5

98 62.6 42.9 79.7



#22

cis-1,2-Dichloroethene

Concen: 27.027 ug/L

RT: 7.17 min Scan# 864

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29




Tgt Ion: 96 Resp: 162342


Ion Ratio Lower Upper

96 100

61 133.5 94.6 175.8

98 65.5 44.3 82.3









#23
Bromochloromethane
Concen: 15.785 ug/L
RT: 7.52 min Scan# 921
Delta R.T. 0.01 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29

Instrument :
MSVOA_W
ClientSampleId :
GAXY9

Tot Ion:128 Resp: 41578
Ion Ratio Lower Upper
128 100
49 167.0 122.4 227.2
130 127.8 93.9 174.5
51 53.7 43.2 64.8




Abundance Ion 128.00 (127.70 to 128.70): V
Ion 49.00 (48.70 to 49.70): VV
Ion 130.00 (129.70 to 130.70): V
Ion 51.00 (50.70 to 51.70): VV






#27
1,2-Dichloroethane
Concen: 10.726 ug/L
RT: 8.40 min Scan# 1066
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29

Tgt Ion: 62 Resp: 76530
Ion Ratio Lower Upper
62 100
98 9.4 7.0 10.6



Abundance Ion 62.00 (61.70 to 62.70): VV
Ion 98.00 (97.70 to 98.70): VV









#30
Cyclohexane
Concen: 10.487 ug/L
RT: 7.96 min Scan# 993
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29




Instrument :
MSVOA_W
ClientSampleId :
GAXY9


Tot Ion: 56 Resp: 100774
Ion Ratio Lower Upper
56 100
69 30.9 24.4 36.6
84 88.5 69.3 103.9



#31
1,1,1-Trichloroethane
Concen: 10.568 ug/L
RT: 7.87 min Scan# 979
Delta R.T. -0.01 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29

Tgt Ion: 97 Resp: 94044
Ion Ratio Lower Upper
97 100
99 63.8 51.9 77.9
61 46.2 37.6 56.4





#32

Carbon tetrachloride

Concen: 13.074 ug/L

RT: 8.07 min Scan# 1011

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampled :





GAXY9

Tot Ion:117 Resp: 105503

Ion Ratio Lower Upper

117 100

119 95.5 76.4 114.6



#35

Trichloroethene

Concen: 42.499 ug/L

RT: 9.09 min Scan# 1179

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Tgt Ion: 95 Resp: 260233




Ion Ratio Lower Upper


95 100

97 64.5 44.4 82.4

132 92.5 65.1 120.9

130 98.3 68.6 127.4









#36
Methvlcvclohexane
Concen: 27.374 ug/L
RT: 9.34 min Scan# 1219
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29




Instrument :
MSVOA_W
ClientSampled :
GAXY9


Tot Ion: 83 Resp: 287616
Ion Ratio Lower Upper
83 100
55 79.1 63.5 95.3
98 48.7 39.0 58.4



#40
1,2-Dichloropropane
Concen: 13.703 ug/L
RT: 9.37 min Scan# 1225
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29

Tgt Ion: 63 Resp: 78579
Ion Ratio Lower Upper
63 100
112 4.7 3.7 5.5





#41

Bromodichloromethane

Concen: 21.214 ug/L

RT: 9.65 min Scan# 1270

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampled :

GAXY9


Tot Ion: 83 Resp: 157102

Ion Ratio Lower Upper

83 100

85 62.8 43.7 81.1




127 7.8 6.5 9.7



Abundance Ion 83.00 (82.70 to 83.70): VW

Ion 85.00 (84.70 to 85.70): VW

Ion 127.00 (126.70 to 127.70): V



#42

cis-1,3-Dichloropropene

Concen: 18.495 ug/L

RT: 10.07 min Scan# 1340

Delta R.T. -0.00 min

Lab File: VW015880.D


Acq: 21 Jul 2020 11:29

Tgt Ion: 75 Resp: 161530

Ion Ratio Lower Upper



75 100


77 32.6 22.2 41.2



Abundance Ion 75.00 (74.70 to 75.70): VW

Ion 77.00 (76.70 to 77.70): VW





#44

Toluene

Concen: 21.740 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampleId :





GAXY9

Tot Ion: 91 Resp: 527787

Ion Ratio Lower Upper

91 100

92 58.2 41.2 76.4



#45

trans-1,3-Dichloropropene

Concen: 8.547 ug/L

RT: 10.61 min Scan# 1428

Delta R.T. -0.00 min

Lab File: VW015880.D




Acq: 21 Jul 2020 11:29


Tgt Ion: 75 Resp: 64704

Ion Ratio Lower Upper

75 100

77 32.4 22.5 41.9









#47
Tetrachloroethene
Concen: 41.848 ug/L
RT: 10.87 min Scan# 1470
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29




Instrument :
MSVOA_W
ClientSampleId :
GAXY9


Tot Ion:	164	Resp:	198897
Ion	Ratio	Lower	Upper
164	100		
129	93.2	70.0	130.0
131	89.2	67.3	124.9
166	127.2	88.5	164.3



#49
2-Hexanone
Concen: 36.888 ug/L
RT: 10.97 min Scan# 1487
Delta R.T. -0.00 min
Lab File: VW015880.D
Acq: 21 Jul 2020 11:29

Tgt Ion:	43	Resp:	87617
Ion	Ratio	Lower	Upper
43	100		
58	60.1	42.4	63.6
57	21.0	15.6	23.4
100	13.2	9.8	14.6





#50

Dibromochloromethane

Concen: 21.364 ug/L

RT: 11.13 min Scan# 1513

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampleId :


GAXY9

Tot Ion:129 Resp: 101992

Ion Ratio Lower Upper




129 100

127 76.6 53.8 100.0



Abundance Ion 129.00 (128.70 to 129.70): V

Ion 127.00 (126.70 to 127.70): V



#53

Ethylbenzene

Concen: 16.172 ug/L

RT: 11.73 min Scan# 1612

Delta R.T. -0.00 min

Lab File: VW015880.D


Acq: 21 Jul 2020 11:29

Tgt Ion: 91 Resp: 441494

Ion Ratio Lower Upper



91 100


106 30.6 22.4 41.6



Abundance Ion 91.00 (90.70 to 91.70): VW

Ion 106.00 (105.70 to 106.70): V





#54

m,p-Xylene

Concen: 10.798 ug/L

RT: 11.85 min Scan# 1631

Delta R.T. 0.01 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampled :


GAXY9

Tot Ion:106 Resp: 110290

Ion Ratio Lower Upper




106 100

91 196.2 144.1 267.5



Abundance Ion 106.00 (105.70 to 106.70): V

Ion 91.00 (90.70 to 91.70): VW



#55

o-xylene

Concen: 13.339 ug/L

RT: 12.17 min Scan# 1684

Delta R.T. -0.00 min

Lab File: VW015880.D


Acq: 21 Jul 2020 11:29

Tgt Ion:106 Resp: 128285

Ion Ratio Lower Upper



106 100


91 209.3 146.8 272.6



Abundance Ion 106.00 (105.70 to 106.70): V

Ion 91.00 (90.70 to 91.70): VW





#57

Isopropylbenzene

Concen: 13.381 ug/L

RT: 12.47 min Scan# 1733

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29

Instrument :

MSVOA_W

ClientSampleId :

GAXY9


Tot Ion:105 Resp: 350327

Ion Ratio Lower Upper

105 100

120 26.0 20.4 30.6




77 16.1 12.9 19.3



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V

Ion 77.00 (76.70 to 77.70): V



#63

1,3-Dichlorobenzene

Concen: 20.706 ug/L

RT: 13.50 min Scan# 1902

Delta R.T. -0.00 min

Lab File: VW015880.D

Acq: 21 Jul 2020 11:29


Tgt Ion:146 Resp: 244990

Ion Ratio Lower Upper

146 100

111 41.4 27.9 51.7



148 63.9 43.2 80.2




Abundance Ion 146.00 (145.70 to 146.70): V

Ion 111.00 (110.70 to 111.70): V

Ion 148.00 (147.70 to 148.70): V









#65
 1,2-Dichlorobenzene
 Concen: 10.321 ug/L
 RT: 13.87 min Scan# 1963
 Delta R.T. -0.00 min
 Lab File: VW015880.D
 Acq: 21 Jul 2020 11:29

Instrument :
 MSVOA_W
 ClientSampleId :
 GAXY9

Tot Ion:146 Resp: 110922
 Ion Ratio Lower Upper
 146 100
 111 48.4 32.9 49.3
 148 67.5 48.8 73.2



#66
 1,2-Dibromo-3-chloropropane
 Concen: 20.676 ug/L
 RT: 14.49 min Scan# 2064
 Delta R.T. -0.00 min
 Lab File: VW015880.D
 Acq: 21 Jul 2020 11:29

Tgt Ion: 75 Resp: 16725
 Ion Ratio Lower Upper
 75 100
 157 100.8 83.0 124.4
 155 73.0 66.9 100.3

