

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072123\
 Data File : VW026629.D
 Acq On : 21 Jul 2023 09:47
 Operator : SY/MD
 Sample : VW0721SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK542

Quant Time: Jul 22 01:26:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Jul 22 01:25:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	564734	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	506279	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	226668	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	188720	19.811	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	79.240%	
7) Chloroethane-d5	2.893	69	146975	21.988	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	87.960%	
11) 1,1-Dichloroethene-d2	4.021	65	92696	20.721	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	82.880%	
21) 2-Butanone-d5	7.081	46	155437	50.489	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	100.980%	
24) Chloroform-d	7.648	84	401218	24.677	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	98.720%	
26) 1,2-Dichloroethane-d4	8.307	65	233331	25.702	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	102.800%	
32) Benzene-d6	8.276	84	804951	23.161	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	92.640%	
36) 1,2-Dichloropropane-d6	9.276	67	261870	24.505	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	98.000%	
41) Toluene-d8	10.325	98	689297	23.124	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	92.480%	
43) trans-1,3-Dichloroprop...	10.575	79	99273	23.181	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	92.720%	
47) 2-Hexanone-d5	10.922	63	103487	49.628	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	99.260%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	231691	25.602	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	102.400%	
66) 1,2-Dichlorobenzene-d4	13.848	152	220053	26.442	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	105.760%	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072123\
Data File : VW026629.D
Acq On : 21 Jul 2023 09:47
Operator : SY/MD
Sample : VW0721SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK542

Quant Time: Jul 22 01:26:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM071123SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Jul 22 01:25:56 2023
Response via : Initial Calibration

