

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072219\
 Data File : VW011426.D
 Acq On : 22 Jul 2019 18:10
 Operator : SY/VA
 Sample : K3922-05
 Misc : 0.15G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A52W6

Quant Time: Jul 23 05:23:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072219S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 23 04:55:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	427017	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	388467	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	179610	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	124408	21.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.28%
7) Chloroethane-d5	2.89	69	91694	22.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.32%
10) 1,1-Dichloroethene-d2	4.02	63	209157	16.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.76%
20) 2-Butanone-d5	7.07	46	106892	44.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.06%
24) Chloroform-d	7.65	84	244182	22.33	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.32%
26) 1,2-Dichloroethane-d4	8.31	65	154155	23.71	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.84%
29) Benzene-d6	8.27	84	510823	21.99	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.96%
33) 1,2-Dichloropropane-d6	9.27	67	171038	22.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.88%
37) Toluene-d8	10.32	98	448330	21.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.12%
38) trans-1,3-Dichloropropene-	10.58	79	72538	22.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.24%
39) 2-Hexanone-d5	10.93	63	77756	47.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	141352	23.50	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	155715	23.09	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.36%


Target Compounds					Ovalue
13) Acetone	4.13	43	8415	3.277 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072219\
Data File : VW011426.D
Acq On : 22 Jul 2019 18:10
Operator : SY/VA
Sample : K3922-05
Misc : 0.15G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A52W6

Quant Time: Jul 23 05:23:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072219S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 23 04:55:51 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.277 ug/L

RT: 4.13 min Scan# 365

Delta R.T. 0.01 min

Lab File: VW011426.D

Acq: 22 Jul 2019 18:10

Instrument :

MSVOA_W

ClientSampleId :

A52W6

Tot Ion: 43 Resp: 8415

Ion Ratio Lower Upper

43 100

58 30.9 0.0 57.2

