

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072220\
 Data File : VW015908.D
 Acq On : 22 Jul 2020 17:09
 Operator : SY/VA
 Sample : L3388-14
 Misc : 5.04G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AE0

Quant Time: Jul 23 04:17:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 23 03:03:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	470438	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	401337	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	140493	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	145154	21.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.48%
7) Chloroethane-d5	2.89	69	111264	20.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.56%
10) 1,1-Dichloroethene-d2	4.01	63	212867	15.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.44%
20) 2-Butanone-d5	7.09	46	86955	49.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.74%
24) Chloroform-d	7.65	84	274391	20.77	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.08%
26) 1,2-Dichloroethane-d4	8.31	65	169688	23.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.60%
29) Benzene-d6	8.27	84	551546	22.58	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.32%
33) 1,2-Dichloropropane-d6	9.28	67	169400	23.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.52%
37) Toluene-d8	10.33	98	478229	21.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.44%
38) trans-1,3-Dichloropropene-	10.58	79	66824	21.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.64%
39) 2-Hexanone-d5	10.93	63	61309	50.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.56%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	135546	24.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	120707	22.03	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.12%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	23700	3.074 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072220\
Data File : VW015908.D
Acq On : 22 Jul 2020 17:09
Operator : SY/VA
Sample : L3388-14
Misc : 5.04G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AE0

Quant Time: Jul 23 04:17:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 23 03:03:27 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.074 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW015908.D
Acq: 22 Jul 2020 17:09

Instrument :
MSVOA_W
ClientSampleId :
C0AE0

Tot Ion: 84 Resp: 23700

Ion	Ratio	Lower	Upper
84	100		
49	119.3	91.1	169.1
86	60.7	46.0	85.4

