

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072220\
 Data File : VW015909.D
 Acq On : 22 Jul 2020 17:32
 Operator : SY/VA
 Sample : L3388-15
 Misc : 4.22G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AE2

Quant Time: Jul 23 04:20:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 23 03:03:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	395358	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	354443	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	143889	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	130117	23.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.28%
7) Chloroethane-d5	2.90	69	99349	21.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.72%
10) 1,1-Dichloroethene-d2	4.01	63	186897	16.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.28%
20) 2-Butanone-d5	7.09	46	84079	57.37	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.74%
24) Chloroform-d	7.65	84	225592	20.32	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.28%
26) 1,2-Dichloroethane-d4	8.31	65	134277	22.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.12%
29) Benzene-d6	8.28	84	460662	21.35	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.40%
33) 1,2-Dichloropropane-d6	9.28	67	138195	21.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.48%
37) Toluene-d8	10.33	98	400730	20.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.00%
38) trans-1,3-Dichloropropene-	10.58	79	56146	20.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.48%
39) 2-Hexanone-d5	10.93	63	60098	55.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	111.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	121483	24.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	117969	21.03	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.12%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	20677	3.192 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072220\
Data File : VW015909.D
Acq On : 22 Jul 2020 17:32
Operator : SY/VA
Sample : L3388-15
Misc : 4.22G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AE2

Quant Time: Jul 23 04:20:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 23 03:03:27 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.192 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW015909.D
Acq: 22 Jul 2020 17:32

Instrument :
MSVOA_W
ClientSampleId :
C0AE2

Tot Ion: 84 Resp: 20677

Ion	Ratio	Lower	Upper
84	100		
49	123.6	91.1	169.1
86	66.2	46.0	85.4

