

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW072318\
 Data File : VW004151.D
 Acq On : 23 Jul 2018 21:15
 Operator : SY/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 24 05:53:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W071618S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jul 16 15:06:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	91	0.00
2 T	Dichlorodifluoromethane	0.281	0.229	18.5	77	0.00
3 P	Chloromethane	0.370	0.352	4.9	90	0.00
4 C	Vinyl Chloride	0.508	0.487	4.1#	88	0.00
5 T	Bromomethane	0.318	0.294	7.5	91	0.00
6 T	Chloroethane	0.289	0.263	9.0	86	0.00
7 T	Trichlorofluoromethane	0.213	0.194	8.9	87	0.00
8 T	Diethyl Ether	0.248	0.268	-8.1	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.492	0.484	1.6	92	0.00
10 T	Methyl Iodide	0.707	0.738	-4.4	96	0.00
11 T	Tert butyl alcohol	0.039	0.041	-5.1	99	0.00
12 CM	1,1-Dichloroethene	0.486	0.497	-2.3#	95	0.00
13 T	Acrolein	0.040	0.046	-15.0	116	0.00
14 T	Allyl chloride	0.802	0.858	-7.0	101	0.00
15 T	Acrylonitrile	0.127	0.146	-15.0	106	0.00
16 T	Acetone	0.134	0.120	10.4	85	0.00
17 T	Carbon Disulfide	1.517	1.523	-0.4	93	0.00
18 T	Methyl Acetate	0.322	0.404	-25.5#	114	0.00
19 T	Methyl tert-butyl Ether	0.931	1.085	-16.5	105	0.00
20 T	Methylene Chloride	0.833	0.563	32.4#	88	0.00
21 T	trans-1,2-Dichloroethene	0.533	0.555	-4.1	96	0.00
22 T	Diisopropyl ether	1.621	1.841	-13.6	102	0.00
23 T	Vinyl Acetate	1.027	1.148	-11.8	98	0.00
24 P	1,1-Dichloroethane	0.989	1.065	-7.7	100	0.00
25 T	2-Butanone	0.181	0.199	-9.9	101	0.00
26 T	2,2-Dichloropropane	0.568	0.509	10.4	87	0.00
27 T	cis-1,2-Dichloroethene	0.576	0.607	-5.4	97	0.00
28 T	Bromochloromethane	0.405	0.419	-3.5	99	0.00
29 T	Tetrahydrofuran	0.113	0.133	-17.7	106	0.00
30 C	Chloroform	0.984	1.052	-6.9#	100	0.00
31 T	Cyclohexane	0.927	0.886	4.4	92	0.00
32 T	1,1,1-Trichloroethane	0.768	0.787	-2.5	96	0.00
33 S	1,2-Dichloroethane-d4	0.559	0.626	-12.0	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.321	0.346	-7.8	95	0.00
36 T	1,1-Dichloropropene	0.514	0.520	-1.2	94	0.00
37 T	Ethyl Acetate	0.248	0.287	-15.7	107	0.00
38 T	Carbon Tetrachloride	0.481	0.484	-0.6	95	0.00
39 T	Methylcyclohexane	0.602	0.608	-1.0	91	0.00
40 TM	Benzene	1.427	1.510	-5.8	100	0.00
41 T	Methacrylonitrile	0.137	0.167	-21.9#	119	0.00
42 TM	1,2-Dichloroethane	0.435	0.468	-7.6	101	0.00
43 T	Isopropyl Acetate	0.464	0.523	-12.7	104	0.00
44 TM	Trichloroethene	0.370	0.378	-2.2	97	0.00
45 C	1,2-Dichloropropane	0.364	0.392	-7.7#	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW072318\
 Data File : VW004151.D
 Acq On : 23 Jul 2018 21:15
 Operator : SY/AP
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 24 05:53:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W071618S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jul 16 15:06:12 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.189	0.207	-9.5	102	0.00
47 T	Bromodichloromethane	0.466	0.497	-6.7	100	0.00
48 T	Methyl methacrylate	0.224	0.261	-16.5	105	0.00
49 T	1,4-Dioxane	0.003	0.004	-33.3#	109	0.01
50 S	Toluene-d8	1.245	1.360	-9.2	94	0.00
51 T	4-Methyl-2-Pentanone	0.247	0.289	-17.0	106	0.00
52 CM	Toluene	0.883	0.928	-5.1#	98	0.00
53 T	t-1,3-Dichloropropene	0.487	0.508	-4.3	96	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.578	-3.8	96	0.00
55 T	1,1,2-Trichloroethane	0.266	0.289	-8.6	102	0.00
56 T	Ethyl methacrylate	0.344	0.399	-16.0	101	0.00
57 T	1,3-Dichloropropane	0.462	0.515	-11.5	103	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.196	-24.1#	111	0.00
59 T	2-Hexanone	0.174	0.202	-16.1	104	0.00
60 T	Dibromochloromethane	0.310	0.339	-9.4	102	0.00
61 T	1,2-Dibromoethane	0.253	0.282	-11.5	104	0.00
62 S	4-Bromofluorobenzene	0.449	0.487	-8.5	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.343	0.384	-12.0	111	0.00
65 PM	Chlorobenzene	1.063	1.084	-2.0	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.369	0.382	-3.5	99	0.00
67 C	Ethyl Benzene	1.868	1.923	-2.9#	98	0.00
68 T	m/p-Xylenes	0.714	0.731	-2.4	97	0.00
69 T	o-Xylene	0.662	0.684	-3.3	97	0.00
70 T	Styrene	1.106	1.183	-7.0	99	0.00
71 P	Bromoform	0.209	0.221	-5.7	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.533	3.634	-2.9	96	0.00
74 T	N-amyl acetate	0.921	1.024	-11.2	101	0.00
75 P	1,1,2,2-Tetrachloroethane	0.683	0.748	-9.5	103	0.00
76 T	1,2,3-Trichloropropane	0.496	0.500	-0.8	100	0.00
77 T	Bromobenzene	0.845	0.864	-2.2	97	0.00
78 T	n-propylbenzene	4.335	4.496	-3.7	96	0.00
79 T	2-Chlorotoluene	2.445	2.555	-4.5	99	0.00
80 T	1,3,5-Trimethylbenzene	2.973	3.110	-4.6	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.224	0.222	0.9	91	0.00
82 T	4-Chlorotoluene	2.624	2.703	-3.0	97	0.00
83 T	tert-Butylbenzene	2.496	2.605	-4.4	95	0.00
84 T	1,2,4-Trimethylbenzene	3.059	3.179	-3.9	96	0.00
85 T	sec-Butylbenzene	3.704	3.817	-3.1	95	0.00
86 T	p-Isopropyltoluene	3.249	3.350	-3.1	94	0.00
87 T	1,3-Dichlorobenzene	1.689	1.712	-1.4	96	0.00
88 T	1,4-Dichlorobenzene	1.693	1.704	-0.6	97	0.00
89 T	n-Butylbenzene	3.194	3.230	-1.1	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW072318\
Data File : VW004151.D
Acq On : 23 Jul 2018 21:15
Operator : SY/AP
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jul 24 05:53:51 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W071618S.M
Quant Title : SW846 8260
QLast Update : Mon Jul 16 15:06:12 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.599	0.607	-1.3	96	0.00
91 T	1,2-Dichlorobenzene	1.504	1.566	-4.1	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.122	0.133	-9.0	104	0.00
93 T	1,2,4-Trichlorobenzene	1.057	1.067	-0.9	94	0.00
94 T	Hexachlorobutadiene	0.607	0.588	3.1	92	0.00
95 T	Naphthalene	1.950	2.138	-9.6	98	0.00
96 T	1,2,3-Trichlorobenzene	0.935	0.958	-2.5	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6