

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW072420\
 Data File : VW015955.D
 Acq On : 24 Jul 2020 17:16
 Operator : SY/VA
 Sample : VIBLK24
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK24

Quant Time: Jul 25 06:16:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 25 05:14:30 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	441955	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	411205	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	183536	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	114266	18.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.28%
7) Chloroethane-d5	2.89	69	104564	20.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.56%
10) 1,1-Dichloroethene-d2	4.01	63	196371	15.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.28%
20) 2-Butanone-d5	7.09	46	76101	46.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.92%
24) Chloroform-d	7.65	84	271807	21.90	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	8.31	65	152761	22.42	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.68%
29) Benzene-d6	8.28	84	553472	22.11	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.44%
33) 1,2-Dichloropropane-d6	9.27	67	169302	22.56	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.24%
37) Toluene-d8	10.32	98	488857	21.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.24%
38) trans-1,3-Dichloropropene-	10.58	79	63893	19.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.92%
39) 2-Hexanone-d5	10.93	63	58711	46.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.98%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	133912	23.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	168864	23.60	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.40%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Methylene chloride	4.92	84	30478	4.209	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW072420\
Data File : VW015955.D
Acq On : 24 Jul 2020 17:16
Operator : SY/VA
Sample : VIBLK24
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK24

Quant Time: Jul 25 06:16:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 25 05:14:30 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.209 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW015955.D
Acq: 24 Jul 2020 17:16

Instrument :
MSVOA_W
ClientSampleId :
VIBLK24

Tgt Ion: 84 Resp: 30478

Ion	Ratio	Lower	Upper
84	100		
49	124.6	91.1	169.1
86	63.7	46.0	85.4

