

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072522\
 Data File : VW024076.D
 Acq On : 25 Jul 2022 18:35
 Operator : SY/VA
 Sample : N3823-06
 Misc : 7.17g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 H0B65

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 07/26/2022
 Supervised By :Mahesh Dadoda 07/26/2022

Quant Time: Jul 26 01:34:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072522SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jul 26 01:30:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	243338	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	249777	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	112327	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.336	65	116690	22.372	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	89.480%		
7) Chloroethane-d5	2.873	69	81708	23.184	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.720%		
11) 1,1-Dichloroethene-d2	4.013	63	61742	13.443	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	53.760%		
21) 2-Butanone-d5	7.080	46	53192	57.381	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	114.760%		
24) Chloroform-d	7.646	84	137943	20.620	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	82.480%		
26) 1,2-Dichloroethane-d4	8.305	65	89624m	23.318	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	93.280%		
32) Benzene-d6	8.268	84	245168	21.130	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	84.520%		
36) 1,2-Dichloropropane-d6	9.274	67	81077	22.154	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.600%		
41) Toluene-d8	10.323	98	226332	19.505	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	78.000%		
43) trans-1,3-Dichloroprop...	10.579	79	32344	19.933	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	79.720%		
47) 2-Hexanone-d5	10.926	63	44038	57.558	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	115.120%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	93940	22.246	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	89.000%		
66) 1,2-Dichlorobenzene-d4	13.853	152	87377	24.019	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	96.080%		
Target Compounds					Qvalue	
13) Acetone	4.135	43	2634	4.004	ug/L	85
39) cis-1,3-Dichloropropene	10.036	75	3096	0.583	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072522\
Data File : VW024076.D
Acq On : 25 Jul 2022 18:35
Operator : SY/VA
Sample : N3823-06
Misc : 7.17g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
H0B65

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 07/26/2022
Supervised By :Mahesh Dadoda 07/26/2022

Quant Time: Jul 26 01:34:08 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072522SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jul 26 01:30:33 2022
Response via : Initial Calibration

