

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072618\
 Data File : VW004206.D
 Acq On : 25 Jul 2018 21:37
 Operator : SY/AP
 Sample : J3821-09
 Misc : 6.38G/5ML/MSVOA W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 HR-06-072418-B

Quant Time: Jul 26 06:47:00 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W071618S.M
 Quant Title : SW846 8260
 QLast Update : Mon Jul 16 15:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	235893	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	410742	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	313925	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	135248	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	155954	59.14	ug/l	0.00
Spiked Amount 50.000			Recovery	=	118.28%	
35) Dibromofluoromethane	7.88	113	135843	51.55	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.10%	
50) Toluene-d8	10.33	98	389841	38.12	ug/l	0.00
Spiked Amount 50.000			Recovery	=	76.24%	
62) 4-Bromofluorobenzene	12.62	95	133936	36.32	ug/l	0.00
Spiked Amount 50.000			Recovery	=	72.64%	
Target Compounds						
16) Acetone	4.12	43	18052	28.49	ug/l	96
80) 1,3,5-Trimethylbenzene	12.95	105	11428	1.42	ug/l	98
84) 1,2,4-Trimethylbenzene	13.26	105	14799	1.79	ug/l	99
86) p-Isopropyltoluene	13.51	119	11210	1.28	ug/l	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072618\
Data File : VW004206.D
Acq On : 25 Jul 2018 21:37
Operator : SY/AP
Sample : J3821-09
Misc : 6.38G/5ML/MSVOA W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
HR-06-072418-B

Quant Time: Jul 26 06:47:00 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W071618S.M
Quant Title : SW846 8260
QLast Update : Mon Jul 16 15:06:12 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.95 min Scan# 1044

Delta R.T. 0.00 min

Lab File: VW004206.D

Acq: 25 Jul 2018 21:37

Instrument :

MSVOA_W

ClientSampleId :


HR-06-072418-B

Tot Ion:168 Resp: 235893

Ion Ratio Lower Upper

168 100

99 58.8 43.8 65.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

120000

100000

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00 8.10



#16

Acetone

Concen: 28.49 ug/l

RT: 4.12 min Scan# 415

Delta R.T. -0.01 min

Lab File: VW004206.D


Acq: 25 Jul 2018 21:37

Tgt Ion: 43 Resp: 18052

Ion Ratio Lower Upper

43 100

58 32.8 24.5 36.7



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.12


6000


4000

2000

0

Time--> 4.00 4.10 4.20









#33
 1,2-Dichloroethane-d4
 Concen: 59.14 ug/l
 RT: 8.31 min Scan# 1102
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37




Instrument :
 MSVOA_W
 ClientSampleId :
 HR-06-072418-B


Tot Ion: 65 Resp: 155954
 Ion Ratio Lower Upper
 65 100
 67 52.3 0.0 105.0



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.85 min Scan# 1191
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37

Tgt Ion: 114 Resp: 410742
 Ion Ratio Lower Upper
 114 100
 63 21.0 0.0 42.8
 88 15.9 0.0 30.4









#35
 Dibromofluoromethane
 Concen: 51.55 ug/l
 RT: 7.88 min Scan# 1033
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37




Instrument :
 MSVOA_W
 ClientSampleId :
 HR-06-072418-B


Tot Ion	Ratio	Lower	Upper
113	100		
111	103.5	81.3	121.9
192	19.8	15.8	23.6



#50
 Toluene-d8
 Concen: 38.12 ug/l
 RT: 10.33 min Scan# 1434
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.0	51.2	76.8









#62
4-Bromofluorobenzene
Concen: 36.32 ug/l
RT: 12.62 min Scan# 1810
Delta R.T. 0.00 min
Lab File: VW004206.D
Acq: 25 Jul 2018 21:37




Instrument :
MSVOA_W
ClientSampleId :
HR-06-072418-B


Tot Ion	Ratio	Lower	Upper
95	100		
174	80.1	0.0	160.2
176	76.5	0.0	155.8



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.63 min Scan# 1648
Delta R.T. 0.00 min
Lab File: VW004206.D
Acq: 25 Jul 2018 21:37

Tgt Ion	Ratio	Lower	Upper
117	100		
82	58.3	46.5	69.7
119	32.5	26.2	39.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 13.57 min Scan# 1965

Delta R.T. 0.00 min

Lab File: VW004206.D

Acq: 25 Jul 2018 21:37

Instrument :

MSVOA_W

ClientSampleId :

HR-06-072418-B


Tot Ion:152 Resp: 135248

Ion Ratio Lower Upper




152 100

115 58.3 29.2 87.6

150 154.2 0.0 345.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V



#80

1,3,5-Trimethylbenzene

Concen: 1.42 ug/l

RT: 12.95 min Scan# 1864

Delta R.T. 0.00 min

Lab File: VW004206.D


Acq: 25 Jul 2018 21:37

Tgt Ion:105 Resp: 11428



Ion Ratio Lower Upper


105 100

120 47.7 24.4 73.2



Abundance Ion 105.00 (104.70 to 105.70): V
Ion 120.00 (119.70 to 120.70): V









#84
 1,2,4-Trimethylbenzene
 Concen: 1.79 ug/l
 RT: 13.26 min Scan# 1914
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37

Instrument :
 MSVOA_W
 ClientSampleId :
 HR-06-072418-B

Tot Ion:105 Resp: 14799
 Ion Ratio Lower Upper
 105 100
 120 44.6 22.1 66.1



#86
 p-Isopropyltoluene
 Concen: 1.28 ug/l
 RT: 13.51 min Scan# 1955
 Delta R.T. 0.00 min
 Lab File: VW004206.D
 Acq: 25 Jul 2018 21:37

Tgt Ion:119 Resp: 11210
 Ion Ratio Lower Upper
 119 100
 134 28.2 13.0 38.9
 91 26.9 11.8 35.3

