

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072619\
 Data File : VW011494.D
 Acq On : 25 Jul 2019 13:05
 Operator : SY/VA
 Sample : K3979-04
 Misc : 5.05G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DB924

Quant Time: Jul 26 01:49:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072219S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 26 01:06:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	357750	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	316094	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	142080	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	119782	25.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.32%
7) Chloroethane-d5	2.89	69	85965	24.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.84%
10) 1,1-Dichloroethene-d2	4.01	63	200452	18.53	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.12%
20) 2-Butanone-d5	7.07	46	79418	39.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.10%
24) Chloroform-d	7.65	84	218332	23.83	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.32%
26) 1,2-Dichloroethane-d4	8.31	65	127885	23.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.92%
29) Benzene-d6	8.27	84	470985	24.91	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.64%
33) 1,2-Dichloropropane-d6	9.27	67	151145	24.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.68%
37) Toluene-d8	10.32	98	409788	24.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.76%
38) trans-1,3-Dichloropropene-	10.58	79	57427	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.80%
39) 2-Hexanone-d5	10.93	63	54057	40.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	103708	21.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	129263	24.23	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.92%


Target Compounds					Ovalue
47) Tetrachloroethene	10.87	164	2744	0.686 ug/L	81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072619\
Data File : VW011494.D
Acq On : 25 Jul 2019 13:05
Operator : SY/VA
Sample : K3979-04
Misc : 5.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB924

Quant Time: Jul 26 01:49:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072219S.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 01:06:02 2019
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 0.686 ug/L

RT: 10.87 min Scan# 1470

Delta R.T. 0.01 min

Lab File: VW011494.D


Acq: 25 Jul 2019 13:05

Instrument :

MSVOA_W

ClientSampleId :

DB924



Tot Ion:164 Resp: 2744

Ion Ratio Lower Upper

164 100

129 79.9 69.0 128.1

131 68.3 64.5 119.7

166 109.8 89.2 165.6

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

