

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072718\
 Data File : VW004240.D
 Acq On : 26 Jul 2018 20:43
 Operator : SY/AP
 Sample : J4169-08
 Misc : 6.31G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BEY63

Quant Time: Jul 27 04:05:47 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072618S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 27 02:54:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	215274	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	199349	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	64940	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	61154	28.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.88%
7) Chloroethane-d5	2.88	69	43590	27.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.60%
10) 1,1-Dichloroethene-d2	4.00	63	112386	21.72	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	86.88%
20) 2-Butanone-d5	7.08	46	70198	57.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.42%
24) Chloroform-d	7.65	84	161239	29.25	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	117.00%
26) 1,2-Dichloroethane-d4	8.31	65	104895	31.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	126.56%
29) Benzene-d6	8.27	84	304874	28.86	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	115.44%
33) 1,2-Dichloropropane-d6	9.27	67	106075	30.19	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	120.76%#
37) Toluene-d8	10.33	98	259974	26.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	104.12%
38) trans-1,3-Dichloropropene-	10.58	79	42752	26.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	107.20%
39) 2-Hexanone-d5	10.93	63	49113	53.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.38%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	105042	29.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	117.08%
61) 1,2-Dichlorobenzene-d4	13.86	152	68603	28.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	113.04%

Target Compounds						Ovalue
22) cis-1,2-Dichloroethene	7.17	96	32194	11.04	ug/L	100
35) Trichloroethene	9.09	95	14121	4.68	ug/L	98
47) Tetrachloroethene	10.87	164	10430	4.32	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072718\
Data File : VW004240.D
Acq On : 26 Jul 2018 20:43
Operator : SY/AP
Sample : J4169-08
Misc : 6.31G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BEY63

Quant Time: Jul 27 04:05:47 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072618S.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 27 02:54:01 2018
Response via : Initial Calibration

