


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072721\
Data File : VW019613.D
Acq On : 27 Jul 2021 11:12
Operator : SY/VA
Sample : VW0727SBL01
Misc : 5.00g/10.0mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
VBLK411

Manual Integrations
APPROVED

MMDadoda
7/28/2021 11:33:26 AM

Quant Time: Jul 28 00:49:26 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jul 28 00:48:17 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072721\
 Data File : VW019613.D
 Acq On : 27 Jul 2021 11:12
 Operator : SY/VA
 Sample : VW0727SBL01
 Misc : 5.00g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK411

Manual Integrations
 APPROVED

MMDadoda
 7/28/2021 11:33:26 AM

Quant Time: Jul 28 00:49:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 28 00:48:17 2021
 Response via : Initial Calibration



TIC: VW019613.D\data.ms

(16) Methylene chloride (T)

4.916min (-0.006) 1.27 ug/L

response 10082

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	61.13
49.00	123.70	118.80
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072721\
 Data File : VW019613.D
 Acq On : 27 Jul 2021 11:12
 Operator : SY/VA
 Sample : VW0727SBL01
 Misc : 5.00g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK411

Manual Integrations
 APPROVED

MMDadoda
 7/28/2021 11:33:26 AM

Quant Time: Jul 28 00:49:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 28 00:48:17 2021
 Response via : Initial Calibration



TIC: VW019613.D\data.ms

(16) Methylene chloride (T)

4.916min (-0.006) 2.31 ug/L m

response 18311

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	64.70	61.13
49.00	123.70	118.80
0.00	0.00	0.00

Handwritten: 7 MD
 7/30/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072721\
 Data File : VW019613.D
 Acq On : 27 Jul 2021 11:12
 Operator : SY/VA
 Sample : VW0727SBL01
 Misc : 5.00g/10.0mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK411

Manual Integrations
 APPROVED

MMDadoda
 7/28/2021 11:33:26 AM

Quant Time: Jul 28 00:49:26 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jul 28 00:48:17 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	398394	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	380541	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	178366	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	124516	22.059	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.240%		
7) Chloroethane-d5	2.898	69	95873	23.818	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.280%		
11) 1,1-Dichloroethene-d2	4.025	63	181863	16.698	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.800%		
21) 2-Butanone-d5	7.086	46	86592	52.853	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	105.700%		
24) Chloroform-d	7.653	84	270238	24.549	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	98.200%		
26) 1,2-Dichloroethane-d4	8.305	65	154961	25.652	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	102.600%		
32) Benzene-d6	8.281	84	528434	23.328	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	93.320%		
36) 1,2-Dichloropropane-d6	9.274	67	170366	24.130	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	96.520%		
41) Toluene-d8	10.323	98	475839	23.299	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	93.200%		
43) trans-1,3-Dichloroprop...	10.579	79	70362	23.271	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	93.080%		
47) 2-Hexanone-d5	10.927	63	68446	52.255	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	104.500%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	152955	26.811	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	107.240%		
66) 1,2-Dichlorobenzene-d4	13.853	152	172301	27.379	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	109.520%		
Target Compounds						
16) Methylene chloride	4.916	84	18311m	2.306	ug/L	
42) Toluene	10.390	91	8694	0.350	ug/L	

Qvalue

7 MD
 7/30/21

(#) = qualifier out of range (m) = manual integration (+) = signals summed