

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072724\
 Data File : VW029768.D
 Acq On : 27 Jul 2024 09:02
 Operator : SY/MD
 Sample : VW0727SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK530

Quant Time: Jul 29 04:45:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Jul 29 04:44:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	253597	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	243550	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	107597	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	71687	19.912	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.640%
7) Chloroethane-d5	2.899	69	55560	21.616	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.480%
11) 1,1-Dichloroethene-d2	4.021	65	34120	20.761	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.040%
21) 2-Butanone-d5	7.081	46	39565	40.095	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.200%
24) Chloroform-d	7.648	84	155360	23.666	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.680%
26) 1,2-Dichloroethane-d4	8.301	65	91614	24.501	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.000%
32) Benzene-d6	8.276	84	297490	22.607	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.440%
36) 1,2-Dichloropropane-d6	9.270	67	97192	23.131	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.520%
41) Toluene-d8	10.319	98	263961	22.559	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.240%
43) trans-1,3-Dichloroprop...	10.575	79	36842	21.668	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.680%
47) 2-Hexanone-d5	10.922	63	26167	37.767	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.540%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	71876	23.037	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.160%
66) 1,2-Dichlorobenzene-d4	13.849	152	86056	25.758	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.040%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW072724\
Data File : VW029768.D
Acq On : 27 Jul 2024 09:02
Operator : SY/MD
Sample : VW0727SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK530

Quant Time: Jul 29 04:45:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Jul 29 04:44:22 2024
Response via : Initial Calibration

