

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072820\
 Data File : VW015975.D
 Acq On : 28 Jul 2020 11:01
 Operator : SY/VA
 Sample : VW0728SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK21

Quant Time: Jul 29 04:46:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 29 04:38:00 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	461939	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	430081	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	195796	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	111871	17.16	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.64%
7) Chloroethane-d5	2.90	69	102510	19.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.44%
10) 1,1-Dichloroethene-d2	4.02	63	191324	14.52	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.08%
20) 2-Butanone-d5	7.09	46	89201	52.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.20%
24) Chloroform-d	7.65	84	271535	20.93	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.72%
26) 1,2-Dichloroethane-d4	8.31	65	153767	21.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	86.36%
29) Benzene-d6	8.27	84	553733	21.15	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.60%
33) 1,2-Dichloropropane-d6	9.28	67	169773	21.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.52%
37) Toluene-d8	10.33	98	483332	20.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.52%
38) trans-1,3-Dichloropropene-	10.58	79	65828	19.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.72%
39) 2-Hexanone-d5	10.93	63	67032	51.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	146030	24.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	167446	21.93	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.72%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072820\
Data File : VW015975.D
Acq On : 28 Jul 2020 11:01
Operator : SY/VA
Sample : VW0728SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK21

Quant Time: Jul 29 04:46:02 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 29 04:38:00 2020
Response via : Initial Calibration

