

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072918\
 Data File : VW004274.D
 Acq On : 27 Jul 2018 15:57
 Operator : SY/AP
 Sample : J4169-08
 Misc : 5.77G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BEY63

Quant Time: Jul 27 23:57:09 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072618S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 27 23:17:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	307949	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	269830	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	97870	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.34	65	84224	27.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.68%
7) Chloroethane-d5	2.88	69	59287	26.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.16%
10) 1,1-Dichloroethene-d2	4.00	63	140650	19.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.04%
20) 2-Butanone-d5	7.08	46	75752	43.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.32%
24) Chloroform-d	7.65	84	198256	25.14	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.56%
26) 1,2-Dichloroethane-d4	8.31	65	121632	25.65	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.60%
29) Benzene-d6	8.27	84	389201	27.22	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	108.88%
33) 1,2-Dichloropropane-d6	9.27	67	133115	27.99	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.96%
37) Toluene-d8	10.33	98	342625	25.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.40%
38) trans-1,3-Dichloropropene-	10.58	79	52640	24.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.52%
39) 2-Hexanone-d5	10.93	63	54867	43.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.80%
48) 1,1,1,2,2-Tetrachloroethane-	12.70	84	117380	24.17	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.68%
61) 1,2-Dichlorobenzene-d4	13.86	152	98557	26.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.76%

Target Compounds

					Ovalue
13) Acetone	4.12	43	4619	2.61 ug/L	93
16) Methylene chloride	4.90	84	9450	2.19 ug/L	81
22) cis-1,2-Dichloroethene	7.17	96	51084	12.25 ug/L	99
35) Trichloroethene	9.09	95	23287	5.71 ug/L	99
47) Tetrachloroethene	10.87	164	20205	6.19 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072918\
Data File : VW004274.D
Acq On : 27 Jul 2018 15:57
Operator : SY/AP
Sample : J4169-08
Misc : 5.77G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BEY63

Quant Time: Jul 27 23:57:09 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072618S.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 27 23:17:19 2018
Response via : Initial Calibration

