

Data File : VW011576.D
Acq On : 30 Jul 2019 15:27
Operator : SY/VA
Sample : K4070-10
Misc : 5.38G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB9E2

Quant Time: Jul 31 03:02:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 31 02:59:26 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	393547	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	349421	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	161926	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	126329	22.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.20%
7) Chloroethane-d5	2.89	69	95944	24.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.16%
10) 1,1-Dichloroethene-d2	4.02	63	218745	17.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.88%
20) 2-Butanone-d5	7.07	46	98624	39.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.04%
24) Chloroform-d	7.65	84	248642	23.01	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.04%
26) 1,2-Dichloroethane-d4	8.31	65	149477	23.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.48%
29) Benzene-d6	8.27	84	519326	23.63	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.52%
33) 1,2-Dichloropropane-d6	9.27	67	167886	23.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.68%
37) Toluene-d8	10.32	98	451195	23.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.56%
38) trans-1,3-Dichloropropene-	10.58	79	67689	21.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.08%
39) 2-Hexanone-d5	10.93	63	65602	39.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	129201	21.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.72%
61) 1,2-Dichlorobenzene-d4	13.85	152	148257	23.76	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.04%


Target Compounds						Qvalue
22) cis-1,2-Dichloroethene	7.17	96	13062	2.138	ug/L	93
35) Trichloroethene	9.09	95	3968	0.638	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW011576.D
Acq On : 30 Jul 2019 15:27
Operator : SY/VA
Sample : K4070-10
Misc : 5.38G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB9E2

Quant Time: Jul 31 03:02:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 31 02:59:26 2019
Response via : Initial Calibration









#22
 cis-1,2-Dichloroethene
 Concen: 2.138 ug/L
 RT: 7.17 min Scan# 864
 Delta R.T. 0.01 min
 Lab File: VW011576.D
 Acq: 30 Jul 2019 15:27

Instrument :
 MSVOA_W
 ClientSampleId :
 DB9E2

Tgt Ion: 96 Resp: 13062
 Ion Ratio Lower Upper
 96 100
 61 140.8 103.9 192.9
 98 68.5 43.5 80.9



#35
 Trichloroethene
 Concen: 0.638 ug/L
 RT: 9.09 min Scan# 1178
 Delta R.T. -0.01 min
 Lab File: VW011576.D
 Acq: 30 Jul 2019 15:27

Tgt Ion: 95 Resp: 3968
 Ion Ratio Lower Upper
 95 100
 97 68.2 44.8 83.2
 132 101.2 65.0 120.6
 130 100.5 68.0 126.4

