

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW073020\
 Data File : VW016003.D
 Acq On : 30 Jul 2020 12:00
 Operator : SY/VA
 Sample : L3492-08
 Misc : 4.75G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 D0AA5

Quant Time: Jul 31 06:52:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 31 06:34:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	479794	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	399718	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	124819	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	135049	19.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.80%
7) Chloroethane-d5	2.90	69	113048	20.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.24%
10) 1,1-Dichloroethene-d2	4.01	63	209273	15.29	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.16%
20) 2-Butanone-d5	7.09	46	57052	32.08	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.16%
24) Chloroform-d	7.65	84	275717	20.46	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.84%
26) 1,2-Dichloroethane-d4	8.31	65	138127	18.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	74.68%
29) Benzene-d6	8.28	84	561013	23.06	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.24%
33) 1,2-Dichloropropane-d6	9.28	67	169506	23.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.96%
37) Toluene-d8	10.33	98	478468	21.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.84%
38) trans-1,3-Dichloropropene-	10.58	79	59483	19.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.52%
39) 2-Hexanone-d5	10.93	63	41663	34.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.60%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	102015	18.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	72.80%
61) 1,2-Dichlorobenzene-d4	13.86	152	104479	21.47	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.88%


Target Compounds				Ovalue
16) Methylene chloride	4.92	84	37985	4.832 ug/L 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW073020\
Data File : VW016003.D
Acq On : 30 Jul 2020 12:00
Operator : SY/VA
Sample : L3492-08
Misc : 4.75G/10ML/MSVOA W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
D0AA5

Quant Time: Jul 31 06:52:53 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 31 06:34:21 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 4.832 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW016003.D
 Acq: 30 Jul 2020 12:00

Instrument :
 MSVOA_W
 ClientSampleId :
 D0AA5

Tot Ion: 84 Resp: 37985
 Ion Ratio Lower Upper
 84 100
 49 119.6 91.1 169.1
 86 58.3 46.0 85.4

