

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW073120\
 Data File : VW016020.D
 Acq On : 31 Jul 2020 11:23
 Operator : SY/VA
 Sample : VW0731SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK24

Quant Time: Aug 01 02:52:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 01 02:48:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	419679	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	388438	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	170824	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	100148	16.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.64%
7) Chloroethane-d5	2.90	69	99829	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.04%
10) 1,1-Dichloroethene-d2	4.01	63	180962	15.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.44%
20) 2-Butanone-d5	7.09	46	84737	54.47	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.94%
24) Chloroform-d	7.65	84	269273	22.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	8.31	65	146118	22.58	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.32%
29) Benzene-d6	8.28	84	540564	22.86	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.44%
33) 1,2-Dichloropropane-d6	9.28	67	171299	24.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.68%
37) Toluene-d8	10.33	98	468953	21.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.60%
38) trans-1,3-Dichloropropene-	10.58	79	62471	20.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.72%
39) 2-Hexanone-d5	10.93	63	61706	52.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.56%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	142269	26.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	165588	24.86	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.44%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	20707	3.011 ug/L	91




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW073120\
Data File : VW016020.D
Acq On : 31 Jul 2020 11:23
Operator : SY/VA
Sample : VW0731SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK24

Quant Time: Aug 01 02:52:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 01 02:48:19 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.011 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW016020.D
Acq: 31 Jul 2020 11:23

Instrument :
MSVOA_W
ClientSampleId :
VBLK24

Tot Ion: 84 Resp: 20707
Ion Ratio Lower Upper
84 100
49 117.5 91.1 169.1
86 60.7 46.0 85.4

