

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073124\
 Data File : VW029805.D
 Acq On : 31 Jul 2024 10:19
 Operator : SY/MD
 Sample : VW0731SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 01 04:43:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 01 04:42:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	241740	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	236531	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	105711	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	58500	17.046	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.200%
7) Chloroethane-d5	2.899	69	49226	20.091	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.360%
11) 1,1-Dichloroethene-d2	4.015	65	29466	18.809	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.240%
21) 2-Butanone-d5	7.075	46	41175	43.774	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.540%
24) Chloroform-d	7.648	84	150255	24.011	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.040%
26) 1,2-Dichloroethane-d4	8.404	65	173	0.049	ug/L	0.10
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.200%#
32) Benzene-d6	8.276	84	280345	21.936	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.760%
36) 1,2-Dichloropropane-d6	9.270	67	94793	23.229	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.920%
41) Toluene-d8	10.325	98	248929	21.906	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.640%
43) trans-1,3-Dichloroprop...	10.575	79	35490	21.492	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.960%
47) 2-Hexanone-d5	10.922	63	26292	39.073	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.140%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	69903	23.070	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.280%
66) 1,2-Dichlorobenzene-d4	13.849	152	79375	24.182	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.720%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073124\
Data File : VW029805.D
Acq On : 31 Jul 2024 10:19
Operator : SY/MD
Sample : VW0731SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 01 04:43:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 01 04:42:41 2024
Response via : Initial Calibration

