

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073124\
 Data File : VW029812.D
 Acq On : 31 Jul 2024 13:56
 Operator : SY/MD
 Sample : P3397-01
 Misc : 3.99g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BHCL0

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 08/01/2024
 Supervised By :Mahesh Dadoda 08/02/2024

Quant Time: Aug 01 04:45:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 01 04:42:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	312711	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	290450	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	127529	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	36019	8.113	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	32.440%		
7) Chloroethane-d5	2.893	69	37782m	11.921	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	47.680%		
11) 1,1-Dichloroethene-d2	4.015	65	19126	9.438	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	37.760%#		
21) 2-Butanone-d5	7.075	46	74969	61.612	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	123.220%		
24) Chloroform-d	7.648	84	150212	18.556	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	74.240%		
26) 1,2-Dichloroethane-d4	8.307	65	95358	20.682	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.720%		
32) Benzene-d6	8.270	84	232205	14.796	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	59.200%		
36) 1,2-Dichloropropane-d6	9.270	67	96282	19.214	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	76.840%		
41) Toluene-d8	10.319	98	184598	13.229	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	52.920%		
43) trans-1,3-Dichloroprop...	10.575	79	33917	16.727	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	66.920%		
47) 2-Hexanone-d5	10.922	63	49747	60.206	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	120.420%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	105678	28.402	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	113.600%		
66) 1,2-Dichlorobenzene-d4	13.849	152	84808	21.417	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	85.680%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	27839	4.258	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW073124\
Data File : VW029812.D
Acq On : 31 Jul 2024 13:56
Operator : SY/MD
Sample : P3397-01
Misc : 3.99g/10mL/MSVOA_W/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BHCL0

Quant Time: Aug 01 04:45:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 01 04:42:41 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 08/01/2024
Supervised By :Mahesh Dadoda 08/02/2024

