

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080118\
 Data File : VW004385.D
 Acq On : 01 Aug 2018 23:32
 Operator : SY/AP
 Sample : VIBLK81
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK81

Quant Time: Aug 02 05:14:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073118S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 02 05:11:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	201258	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	199519	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	101169	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	55103	35.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	140.56%
7) Chloroethane-d5	2.89	69	48515	31.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	125.28%
10) 1,1-Dichloroethene-d2	4.01	63	79575	17.58	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.32%
20) 2-Butanone-d5	7.08	46	37785	38.86	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.72%
24) Chloroform-d	7.65	84	126047	25.33	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.32%
26) 1,2-Dichloroethane-d4	8.31	65	75968	27.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.08%
29) Benzene-d6	8.28	84	237672	23.07	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.28%
33) 1,2-Dichloropropane-d6	9.28	67	68565	21.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.92%
37) Toluene-d8	10.33	98	225692	22.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.68%
38) trans-1,3-Dichloropropene-	10.58	79	34879	22.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.44%
39) 2-Hexanone-d5	10.93	63	33709	41.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	71847	21.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.20%
61) 1,2-Dichlorobenzene-d4	13.86	152	104307	26.98	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.92%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080118\
Data File : VW004385.D
Acq On : 01 Aug 2018 23:32
Operator : SY/AP
Sample : VIBLK81
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK81

Quant Time: Aug 02 05:14:57 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073118S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 02 05:11:26 2018
Response via : Initial Calibration

