

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080118\
 Data File : VW004387.D
 Acq On : 02 Aug 2018 00:23
 Operator : SY/AP
 Sample : VIBLK82
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK82

Quant Time: Aug 02 05:15:09 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073118S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 02 05:11:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	190624	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	189261	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	96870	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	54971	37.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	148.04%
7) Chloroethane-d5	2.89	69	47080	32.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	128.36%
10) 1,1-Dichloroethene-d2	4.01	63	79253	18.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.92%
20) 2-Butanone-d5	7.09	46	36753	39.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.82%
24) Chloroform-d	7.65	84	120150	25.50	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.00%
26) 1,2-Dichloroethane-d4	8.31	65	72356	27.42	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.68%
29) Benzene-d6	8.27	84	229493	23.48	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.92%
33) 1,2-Dichloropropane-d6	9.28	67	64163	21.19	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.76%
37) Toluene-d8	10.33	98	218253	23.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.48%
38) trans-1,3-Dichloropropene-	10.58	79	32794	22.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.64%
39) 2-Hexanone-d5	10.93	63	31557	40.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.18%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	68615	21.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	96944	26.18	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.72%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080118\
Data File : VW004387.D
Acq On : 02 Aug 2018 00:23
Operator : SY/AP
Sample : VIBLK82
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK82

Quant Time: Aug 02 05:15:09 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073118S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 02 05:11:26 2018
Response via : Initial Calibration

