

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080124\
 Data File : VW029829.D
 Acq On : 01 Aug 2024 13:26
 Operator : SY/MD
 Sample : VIBLK505
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK505

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 08/02/2024
 Supervised By :Mahesh Dadoda 08/02/2024

Quant Time: Aug 02 01:47:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 02 01:45:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	220209	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	213811	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	94792	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	55955	17.899	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.600%		
7) Chloroethane-d5	2.899	69	47402m	21.238	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	84.960%		
11) 1,1-Dichloroethene-d2	4.015	65	27957	19.591	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	78.360%		
21) 2-Butanone-d5	7.081	46	47991	56.008	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	112.020%		
24) Chloroform-d	7.648	84	143494	25.172	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	100.680%		
26) 1,2-Dichloroethane-d4	8.307	65	89630	27.605	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	110.400%		
32) Benzene-d6	8.276	84	266409	23.061	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	92.240%		
36) 1,2-Dichloropropane-d6	9.270	67	90911	24.645	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	98.600%		
41) Toluene-d8	10.325	98	230305	22.420	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.680%		
43) trans-1,3-Dichloroprop...	10.575	79	34070	22.825	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	91.280%		
47) 2-Hexanone-d5	10.922	63	31558	51.883	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	103.760%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	77850	28.423	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	113.680%		
66) 1,2-Dichlorobenzene-d4	13.848	152	75219	25.555	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	102.240%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	16115	3.501	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080124\
Data File : VW029829.D
Acq On : 01 Aug 2024 13:26
Operator : SY/MD
Sample : VIBLK505
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK505

Quant Time: Aug 02 01:47:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 02 01:45:39 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 08/02/2024
Supervised By :Mahesh Dadoda 08/02/2024

