

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080419\
 Data File : VW011657.D
 Acq On : 03 Aug 2019 11:09
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 04 01:49:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.279	0.293	-5.0	102	0.00
3 P	Chloromethane	0.483	0.443	8.3	94	0.00
4 C	Vinyl Chloride	0.582	0.605	-4.0#	99	0.00
5 T	Bromomethane	0.322	0.302	6.2	92	0.00
6 T	Chloroethane	0.332	0.339	-2.1	96	0.00
7 T	Trichlorofluoromethane	0.260	0.315	-21.2#	112	0.00
8 T	Diethyl Ether	0.295	0.286	3.1	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.493	0.541	-9.7	102	0.00
10 T	Methyl Iodide	0.697	0.719	-3.2	95	0.00
11 T	Tert butyl alcohol	0.048	0.035	27.1#	82	0.01
12 CM	1,1-Dichloroethene	0.521	0.546	-4.8#	99	0.00
13 T	Acrolein	0.041	0.056	-36.6#	137	0.00
14 T	Allyl chloride	1.108	1.178	-6.3	99	0.00
15 T	Acrylonitrile	0.147	0.140	4.8	89	0.00
16 T	Acetone	0.183	0.189	-3.3	98	0.00
17 T	Carbon Disulfide	1.630	1.707	-4.7	97	0.00
18 T	Methyl Acetate	0.410	0.369	10.0	84	0.00
19 T	Methyl tert-butyl Ether	0.826	0.816	1.2	90	0.00
20 T	Methylene Chloride	0.630	0.569	9.7	91	0.00
21 T	trans-1,2-Dichloroethene	0.561	0.584	-4.1	99	0.00
22 T	Diisopropyl ether	2.088	2.099	-0.5	94	0.00
23 T	Vinyl Acetate	1.312	1.325	-1.0	92	0.00
24 P	1,1-Dichloroethane	1.118	1.155	-3.3	97	0.00
25 T	2-Butanone	0.239	0.228	4.6	86	0.00
26 T	2,2-Dichloropropane	0.688	0.673	2.2	99	0.00
27 T	cis-1,2-Dichloroethene	0.618	0.616	0.3	95	0.00
28 T	Bromochloromethane	0.496	0.482	2.8	101	0.00
29 T	Tetrahydrofuran	0.137	0.128	6.6	86	0.00
30 C	Chloroform	1.032	1.042	-1.0#	97	0.00
31 T	Cyclohexane	1.073	1.103	-2.8	100	0.00
32 T	1,1,1-Trichloroethane	0.786	0.845	-7.5	101	0.00
33 S	1,2-Dichloroethane-d4	0.574	0.597	-4.0	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.281	0.311	-10.7	102	0.00
36 T	1,1-Dichloropropene	0.520	0.579	-11.3	100	0.00
37 T	Ethyl Acetate	0.299	0.296	1.0	88	0.00
38 T	Carbon Tetrachloride	0.445	0.500	-12.4	101	0.00
39 T	Methylcyclohexane	0.572	0.662	-15.7	103	0.00
40 TM	Benzene	1.456	1.540	-5.8	97	0.00
41 T	Methacrylonitrile	0.179	0.178	0.6	90	0.00
42 TM	1,2-Dichloroethane	0.456	0.467	-2.4	93	0.00
43 T	Isopropyl Acetate	0.550	0.558	-1.5	90	0.00
44 TM	Trichloroethene	0.350	0.378	-8.0	98	0.00
45 C	1,2-Dichloropropane	0.390	0.409	-4.9#	95	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080419\
 Data File : VW011657.D
 Acq On : 03 Aug 2019 11:09
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 04 01:49:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.178	0.183	-2.8	93	0.00
47 T	Bromodichloromethane	0.467	0.491	-5.1	95	0.00
48 T	Methyl methacrylate	0.264	0.268	-1.5	88	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	86	0.01
50 S	Toluene-d8	1.148	1.302	-13.4	105	0.00
51 T	4-Methyl-2-Pentanone	0.286	0.285	0.3	87	0.00
52 CM	Toluene	0.879	0.942	-7.2#	97	0.00
53 T	t-1,3-Dichloropropene	0.487	0.510	-4.7	92	0.00
54 T	cis-1,3-Dichloropropene	0.579	0.617	-6.6	94	0.00
55 T	1,1,2-Trichloroethane	0.252	0.255	-1.2	91	0.00
56 T	Ethyl methacrylate	0.369	0.385	-4.3	89	0.00
57 T	1,3-Dichloropropane	0.477	0.486	-1.9	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.168	0.201	-19.6	104	0.00
59 T	2-Hexanone	0.202	0.211	-4.5	88	0.00
60 T	Dibromochloromethane	0.280	0.294	-5.0	93	0.00
61 T	1,2-Dibromoethane	0.239	0.237	0.8	88	0.00
62 S	4-Bromofluorobenzene	0.409	0.447	-9.3	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.326	0.356	-9.2	100	0.00
65 PM	Chlorobenzene	1.005	1.063	-5.8	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.350	0.376	-7.4	95	0.00
67 C	Ethyl Benzene	1.915	2.122	-10.8#	98	0.00
68 T	m/p-Xylenes	0.696	0.766	-10.1	98	0.00
69 T	o-Xylene	0.647	0.707	-9.3	96	0.00
70 T	Styrene	1.119	1.216	-8.7	95	0.00
71 P	Bromoform	0.179	0.186	-3.9	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.730	4.183	-12.1	99	0.00
74 T	N-amyl acetate	1.168	1.231	-5.4	89	0.00
75 P	1,1,2,2-Tetrachloroethane	0.702	0.728	-3.7	90	0.00
76 T	1,2,3-Trichloropropane	0.529	0.502	5.1	89	0.00
77 T	Bromobenzene	0.824	0.891	-8.1	95	0.00
78 T	n-propylbenzene	4.540	5.169	-13.9	101	0.00
79 T	2-Chlorotoluene	2.615	2.851	-9.0	97	0.00
80 T	1,3,5-Trimethylbenzene	3.127	3.529	-12.9	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.230	0.247	-7.4	90	0.00
82 T	4-Chlorotoluene	2.744	3.040	-10.8	98	0.00
83 T	tert-Butylbenzene	2.615	2.972	-13.7	99	0.00
84 T	1,2,4-Trimethylbenzene	3.150	3.491	-10.8	98	0.00
85 T	sec-Butylbenzene	3.731	4.280	-14.7	101	0.00
86 T	p-Isopropyltoluene	3.385	3.852	-13.8	100	0.00
87 T	1,3-Dichlorobenzene	1.617	1.753	-8.4	96	0.00
88 T	1,4-Dichlorobenzene	1.608	1.707	-6.2	95	0.00
89 T	n-Butylbenzene	3.378	3.929	-16.3	102	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080419\
Data File : VW011657.D
Acq On : 03 Aug 2019 11:09
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 04 01:49:21 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.599	0.675	-12.7	98	0.00
91 T	1,2-Dichlorobenzene	1.430	1.528	-6.9	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.120	0.123	-2.5	88	0.00
93 T	1,2,4-Trichlorobenzene	1.008	1.120	-11.1	97	0.00
94 T	Hexachlorobutadiene	0.628	0.725	-15.4	103	0.00
95 T	Naphthalene	1.787	1.993	-11.5	91	0.00
96 T	1,2,3-Trichlorobenzene	0.883	0.967	-9.5	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6