

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080419\
 Data File : VW011658.D
 Acq On : 03 Aug 2019 11:44
 Operator : SY/VA
 Sample : VW0804SBL01
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VW0804SBL01

Quant Time: Aug 04 01:53:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	206093	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	349354	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	294876	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	123686	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	129949	54.91	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.82%	
35) Dibromofluoromethane	7.88	113	106980	54.58	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.16%	
50) Toluene-d8	10.32	98	433276	53.99	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.98%	
62) 4-Bromofluorobenzene	12.62	95	141093	49.32	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.64%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080419\
Data File : VW011658.D
Acq On : 03 Aug 2019 11:44
Operator : SY/VA
Sample : VW0804SBL01
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VW0804SBL01

Quant Time: Aug 04 01:53:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW011658.D

Acq: 03 Aug 2019 11:44

Instrument :

MSVOA_W

ClientSampleId :


VW0804SBL01

Tot Ion:168 Resp: 206093

Ion Ratio Lower Upper

168 100

99 63.7 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

100000

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00 8.10



#33

1,2-Dichloroethane-d4

Concen: 54.911 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW011658.D


Acq: 03 Aug 2019 11:44

Tgt Ion: 65 Resp: 129949

Ion Ratio Lower Upper

65 100

67 52.1 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31


60000


40000

20000

0

Time--> 8.20 8.30 8.40





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW011658.D

Acq: 03 Aug 2019 11:44

Instrument :

MSVOA_W

ClientSampleId :

VW0804SBL01


Tot Ion:114 Resp: 349354

Ion Ratio Lower Upper

114 100

63 23.9 0.0 49.2




88 16.6 0.0 33.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 54.583 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW011658.D

Acq: 03 Aug 2019 11:44


Tgt Ion:113 Resp: 106980

Ion Ratio Lower Upper

113 100

111 103.7 82.7 124.1



192 19.5 16.1 24.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 53.994 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW011658.D

Acq: 03 Aug 2019 11:44

Instrument :

MSVOA_W

ClientSampleId :





VW0804SBL01

Tot Ion: 98 Resp: 433276

Ion Ratio Lower Upper

98 100

100 65.2 52.7 79.1



#62

4-Bromofluorobenzene

Concen: 49.317 ug/l

RT: 12.62 min Scan# 1757

Delta R.T. -0.00 min

Lab File: VW011658.D

Acq: 03 Aug 2019 11:44




Tgt Ion: 95 Resp: 141093


Ion Ratio Lower Upper

95 100

174 74.8 0.0 150.2

176 73.3 0.0 144.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW011658.D
Acq: 03 Aug 2019 11:44

Instrument :
MSVOA_W
ClientSampleId :
VW0804SBL01

Tot Ion	Ratio	Lower	Upper
117	100		
82	61.1	47.9	71.9
119	32.1	26.2	39.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW011658.D
Acq: 03 Aug 2019 11:44

Tgt Ion	Ratio	Lower	Upper
152	100		
115	60.7	30.5	91.5
150	157.3	0.0	352.6

